QNAP

QNAP TS-673A-8G NAS Tower AMD Ryzen V1500B 8 GB DDR4 36 TB HDD Black

Brand : QNAP **Product code:** TS-673A-8G/36TB-IW

Product name: TS-673A-8G

AMD Ryzen Embedded V1500B quad-core 2.2 GHz, 64-bit x86, 8 GB SO-DIMM DDR4, 6 x 3.5-inch SATA 6Gb/s, 3Gb/s, 2 x M.2 2280 PCIe Gen3 x1 slots, 250W, 100-240V AC, 50-60Hz, 3.5A QNAP TS-673A-8G. Type: NAS. Chassis type: Tower. Device class: Small & Medium Business. Processor family: AMD Ryzen, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 36 TB, Installed storage drive type: HDD





Storage		Ports & interfaces	
Supported storage drive interfaces Storage drive sizes supported Number of system drives installed System drive capacity	M.2, Serial ATA II, Serial ATA III 2.5,3.5,M.2 1 5 GB	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity Ethernet LAN (RJ-45) ports * PCI Express x4 (Gen 3.x) slots	3 2 2
Number of M.2 (M & B) slots	2	Design	
RAID support * RAID levels RAID rebuild Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported * Installed storage drive type *	6 HDD	Chassis type * Cooling type * Product colour Housing material Number of fans Fan diameter Fan diameter 2 LED indicators Cable lock slot Cable lock slot type Built-in speaker(s)	Tower Active Black Metal 3 fan(s) 6 cm 9.2 cm HDD, LAN, Power, SSD, Status, USB ✓ Kensington
Supported storage drive types *	HDD & SSD	Performance	
Processor		Type *	NAS
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor cores Processor threads Number of processors supported	AMD AMD Ryzen V1500B 2.2 GHz 4 8	Device class * Backup function * Backup features Buzzer Noise level Security algorithms	Small & Medium Business ✓ Cloud, iSCSI LUN ✓ 20.3 dB 256-bit AES, FIPS 140-2, SSH, SSL/TLS
Memory		Access Control List (ACL)	✓
Internal memory * Internal memory type Maximum RAM supported Memory slots Memory form factor ECC Flash memory	8 GB DDR4 64 GB 2 SO-DIMM ✓ 5000 MB	Reset button On/off switch Built-in FTP server Hot spare Password authentication S.M.A.R.T. support Remotely operated	1 1 1 1
Network		Power	
Ethernet LAN * Ethernet LAN data rates DHCP server Jumbo frames support iSCSI support	✓ 100,1000,2500,5000 Mbit/s ✓ ✓	Power supply location Power supply unit (PSU) capacity Number of power supply units Power consumption (typical) Power consumption (sleep)	Built-in 250 W 1 45.898 W 21.891 W

Network		Power	
Wake-on-LAN ready Dynamic DNS (DDNS)	*	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Ports & interfaces		Weight & dimensions	
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Width * Depth * Height * Weight Package weight	264.3 mm 280.8 mm 188.2 mm 5.78 kg 7.35 kg
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 5 - 95% -20 - 70 °C
		Logistics data	
		Harmonized System (HS) code	84714100

