



QNAP TS-469L NAS/storage server Tower Intel Atom® 1 GB DDR3 0 TB QNAP Turbo System Black

Brand : QNAP

Product code: TS-469L

Product name : TS-469L

TS-469L 4-bay NAS, Intel Atom 2.13GHz Dual-core, 1GB DDR3, 4 x Hot-swappable tray 3.5"/2.5" SATA 3Gb/s, Tower

QNAP TS-469L. Chassis type: Tower. Processor family: Intel Atom®, Processor frequency: 2.13 GHz. Internal memory: 1 GB, Internal memory type: DDR3. Total installed storage capacity: 0 TB. Operating system installed: QNAP Turbo System



Storage		Design	
Storage drive capacity *	0 GB	Chassis type *	Tower
Storage drive interface *	Serial ATA II	Product colour	Black
Storage drive size	2.5/3.5"	Number of fans	1 fan(s)
Maximum supported storage capacity	16 TB	LED indicators	eSATA, HDD, LAN, Power, Status, USB
RAID levels	0, 1, 5, 6, 10, JBOD	Display type	LCD
Hot-swap drive bays	✓	Performance	
Supported file systems	ext3, ext4, FAT32, HFS+, NTFS	Buzzer	✓
Total installed storage capacity *	0 TB	Multilingual support	✓
Number of storage drives supported *	4	Noise level	34.7 dB
Processor		Web-based management	✓
Processor family *	Intel Atom®	Security algorithms	256-bit AES, SSH, SSL/TLS
Processor frequency *	2.13 GHz	Access Control List (ACL)	✓
Processor cores	2	Reset button	✓
Number of processors installed	1	On/off switch	✓
Memory		Software	
Internal memory *	1 GB	Operating system installed *	QNAP Turbo System
Internal memory type	DDR3	Operating system version	3.7
Maximum RAM supported	3 GB	Power	
Flash memory	512 MB	Power supply unit (PSU) capacity	250 W
Network		Power consumption (typical)	43 W
Wi-Fi	✗	Power consumption (sleep)	25 W
DHCP client	✓	Weight & dimensions	
DHCP server	✓	Width *	180 mm
Jumbo frames support	✓	Depth *	235 mm
iSCSI support	✓	Height *	177 mm
Wake-on-LAN ready	✓	Weight	3.65 kg
Compliance industry standards	IEEE 802.3ad	Package weight	4.65 kg
Supported network protocols	CIFS/SMB, AFP (v3.3), NFS(v3), FTP, FTPS, SFTP, TFTP, HTTP(S), Telnet, SSH, iSCSI, SNMP, SMTP, SMSC	Packaging content	
Cabling technology	10/100/1000Base-T(X)	Cables included	AC, LAN (RJ-45)
Maximum data transfer rate	1000 Mbit/s	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage relative humidity (H-H)	0 - 95%

Ports & interfaces		Other features	
USB 2.0 ports quantity	4	Power requirements	100-240V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Compatible operating systems	Windows XP, Vista, 7, Server 2003/2008 R2 Apple Mac OS X Linux & UNIX
VGA (D-Sub) ports quantity	1	Networking features	Dual Gigabit Ethernet
eSATA ports quantity	2	Power LED	✓
Ethernet LAN (RJ-45) ports *	2	Link/Act LED	✓
WAN connection	Ethernet (RJ-45)	Data transfer rate	3 Gbit/s
eSATA	✓		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.