

QNAP TS-H886 NAS Tower Ethernet LAN Black, Grey D-1622





Brand: QNAP Product code: TS-H886-D1622-16G/84TB-EXOS

Product name: TS-H886

- Four 2.5GbE ports accelerate file sharing across teams and devices, virtual machine applications or multimedia transmission
- DDR4 ECC memory detects and corrects single-bit memory errors, demonstrating high reliability for crucial applications
- Two M.2 NVMe Gen 3 x4 SSD slots (each slot providing up to 3.2 GB/s bandwidth) enable SSD caching to boost random read/write performance
- Two PCle slots allow for 5GbE/10GbE/25GbE/40GbE adapters, QM2 cards, or entry-level graphics cards to increase application performance
- Scalable storage supporting virtual machines, containerized apps, centralized storage, backup, sharing, and disaster recovery
- QuTS hero combines ZFS advantages with the QTS App Center ecosystem to empower your business Xeon D-1622 2.6 GHz, 16 GB DDR4, 5GB, 6x 3.5" + 2x 2.5", 2x M.2, 4x 2.5G LAN, 3x USB 3.2, 231.9x292.9x319.8 mm

		D. . C.	
Storage		Performance	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Multilingual support	✓
Storage drive sizes supported	2.5,3.5"	Noise level	20.4 dB
Number of M.2 (M & B) slots	2	Snapshot	✓
RAID support *	1	Web-based management	✓
RAID levels Online RAID migration	0, 1, 5, 6, 10, 50, 60	Security algorithms	256-bit AES, AES, FIPS 140-2, HTTPS, SSH, SSL/TLS
Online RAID expansion	1	Access Control List (ACL)	✓
RAID rebuild	1	Reset button	✓
Hot-swap drive bays	1	On/off switch	✓
Supported file systems	FAT32, HFS+, NTFS, ZFS, ext3, ext4	Built-in FTP server	✓
Storage drives installed * Total installed storage capacity *	√ 84 TB	Browser supported	Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
Number of storage drives installed *	8	System log	✓
Number of storage drives supported	0	Hot spare	,
*	8	S.M.A.R.T. support	,
Installed storage drive type *	HDD	Share folder	CIFS/SMB
Supported storage drive types *	HDD & SSD	Universal Plug and Play (UPnP)	✓
Bad block scan	1	USB copy function	,
Disk roaming	1	. ,	•
Processor		Software	
Processor manufacturer *	Intel	Operating system installed *	QNAP Turbo System
Processor family *	Intel® Xeon® D	Operating system version	4.5.0
Processor model *	D-1622	Windows operating systems	Windows 10, Windows 7, Windows 8
Processor frequency *	2.6 GHz	supported Linux operating systems supported	/
Processor boost frequency	3.2 GHz	Linux operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X
Processor cores	4		10.11 El Capitan, Mac OS X 10.12
Processor threads	8	Mac operating systems supported	Sierra, Mac OS X 10.13 High Sierra,
Processor cache	6 MB		Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
CPU configuration (max)	1		Windows Server 2008 R2, Windows
PCI Express slots version	2.0, 3.0	Comments of the comments of	Server 2012, Windows Server 2012
Processor lithography	14 nm	Server operating systems supported	R2, Windows Server 2016, Windows
Processor operating modes	64-bit		Server 2019
Processor package size	37.5 x 37.5 mm	Power	
Scalability	15	Power supply location	Built-in
Tcase	83 °C	Power supply unit (PSU) capacity	250 W
Tjunction	105 °C	Number of power supply units	1
Thermal Design Power (TDP)	40 W	Power consumption (typical)	75.79 W
On-board graphics card model	Not available	AC input voltage	100 - 240 V
Maximum internal memory supported by processor	128 GB	AC input frequency	50 - 60 Hz

Memory		Weight & dimensions	
Internal memory type Maximum RAM supported Internal memory * Memory form factor	DDR4 128 GB 16 GB UDIMM	Width * Depth * Height * Weight	292.9 mm 319.8 mm 231.9 mm 8.5 kg
Flash memory	5000 MB	Packaging content	
Network		Cables included	AC, LAN (RJ-45)
Ethernet LAN * Ethernet LAN data rates DHCP client DHCP server Jumbo frames support	10,100,1000,2500 Mbit/s	Number of screws	32
		Processor special features	
		Embedded options available	×
		Enhanced Intel SpeedStep Technology	✓
Supported network protocols	TCP/IP, HTTP/HTTPS	Execute Disable Bit	✓
Ports & interfaces		Idle States	✓
USB port *	✓	Intel 64	√
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	3	Intel QuickAssist Technology	×
ports quantity Ethernet LAN (RJ-45) ports *	4	Intel Trusted Execution Technology Intel TSX-NI	4
PCI Express x8 (Gen 3.x) slots	2	Intel Virtualization Technology (VT-x)	v
Design		Intel Virtualization Technology for	,
Chassis type *	Tower	Directed I/O (VT-d)	•
Cooling type *	Active	Intel VT-x with Extended Page Tables (EPT)	✓
Product colour Number of fans Fan diameter Fan diameter 2	Black, Grey 3 fan(s) 8 cm 9.7 cm	Intel® AES New Instructions (Intel® AES-NI)	✓
		Intel® Hyper Threading Technology (Intel® HT Technology)	✓
LED indicators	HDD, SSD, Status	Intel® OS Guard	✓
Built-in display	V	Intel® Secure Key	✓
Cable lock slot Cable lock slot type	✓ Kensington	Intel® Turbo Boost Technology	2.0
Performance	Kensington	Maximum number of PCI Express lanes	32
Type *	NAS	Thermal Monitoring Technologies	1
Device class * Backup function * Backup features Buzzer	Large Enterprise Business ✓ Cloud, iSCSI LUN ✓	Memory types supported by processor	DDR3-SDRAM, DDR4-SDRAM
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 35 °C 5 - 95%
		Logistics data	
		Harmonized System (HS) code	84714100
		Other features	
		Processor ARK ID	193687

