## QNAP

## **QNAP TS-1655 NAS Tower Ethernet LAN Black C5125**

**Brand**: QNAP **Product code**: TS-1655-8G/120TB-REDPRO

**Product name:** TS-1655

Intel Atom C5125, 8 GB DDR4, 5GB Flash, 12x 3.5" + 4x 2.5" SATA, 2x M.2, 2x RJ-45, 4x USB 3.2 Gen1 QNAP TS-1655. Total installed storage capacity: 120 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: Intel Atom®, Processor manufacturer: Intel, Processor model: C5125. Internal memory: 8 GB, Internal memory type: DDR4, Maximum RAM supported: 128 GB. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Chassis type: Tower, Cooling type: Active, Product colour: Black







		B	
Storage		Design	
Storage drive interface *	Serial ATA II, Serial ATA III	Cable lock slot	✓
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Cable lock slot type	Kensington
Storage drive sizes supported	2.5,3.5,M.2	Performance	
Number of M.2 (M & B) slots	2	Type *	NAS
RAID support *	<b>,</b>	Device class *	Small & Medium Business
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Backup function *	1
Online RAID migration	<b>√</b>	Backup features	Cloud, USB drive, iSCSI LUN
Online RAID expansion	<b>√</b>	Buzzer	<b>V</b>
RAID rebuild	<b>√</b>	Multilingual support	1
Hot-swap drive bays	<b>✓</b>	Number of users	4096 user(s)
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Snapshot	<b>V</b>
Storage drives installed *	✓	Management protocols	SNMP V2/V3
Total installed storage capacity *	120 TB	Share folder access right	×
Installed storage drive type *	HDD	management	^
Supported storage drive types *	HDD & SSD	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH, TLS
Bad block scan	✓	Access Control List (ACL)	✓
Disk roaming	✓	Reset button	✓
Processor		On/off switch	✓
Processor manufacturer *	Intel	Built-in FTP server	✓
Processor family *	Intel Atom®	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Processor model *	C5125 2.8 GHz	System log	4
Processor frequency * Processor cores	8.	Hot spare	✓
Processor threads	8	Password authentication	✓
Frocessor tilleaus	6	Disk scan	✓
Memory		S.M.A.R.T. support	<b>√</b>
Internal memory type	DDR4	Share folder	CIFS/SMB, AFP, NFS, FTP
Maximum RAM supported	128 GB	USB copy function	✓
Memory slots	4	Software	
Internal memory *	8 GB	Operating system installed *	QNAP Turbo System
Memory form factor	UDIMM	Operating system version	5.0.1
ECC	✓	Windows operating systems	Windows 10, Windows 11, Windows
Flash memory	5000 MB	supported	7, Windows 8
Network		Linux operating systems supported	✓
Ethernet LAN *	<b>√</b>	Mac operating systems supported	✓
	•		

Network		Software	
	10,100,1000,2500 Mbit/s	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
		Power	
		Power supply location Power supply unit (PSU) capacity	Built-in 550 W
Ports & interfaces		Power consumption (typical) Power consumption (HDD standby)	104.65 W 94.957 W
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	<b>√</b> 4	AC input voltage Fan voltage	100 - 240 V 12 V
Ethernet LAN (RJ-45) ports *	2	Weight & dimensions	
PCI Express x4 (Gen 3.x) slots Concurrent connections	3 700	Width * Depth *	369.9 mm 319.8 mm 303.8 mm
Design		Height *	303.8 [1][[]
Chassis type * Cooling type * Product colour Number of fans Fan diameter	Tower Active Black 5 fan(s) 9.2 cm	Packaging content  Cables included  Power cables quantity  Number of screws  Drive tray key included	AC, LAN (RJ-45) 1 72 ✓
Fan diameter 2	9.7 cm	Operational conditions	
Drive bay locking  LED indicators	HDD, LAN, M.2, Power, SSD, Status, USB	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T) Storage relative humidity (H-H)	0 - 40 °C 5 - 95% -20 - 70 °C 5 - 95%

