QNAP

QNAP DS923+ NAS Tower Ethernet LAN Black R1600

Brand : QNAP Product code: DS923+/24TB-REDPLUS

Product name: DS923+

4 x 3.5" / 2.5" SATA HDD / SSD, M.2 Drive Slots, AMD Ryzen R1600, 4 GB DDR4 ECC, 1GbE QNAP DS923+. Total installed storage capacity: 24 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: AMD Ryzen, Processor manufacturer: AMD, Processor model: R1600. Internal memory: 4 GB, Internal memory type: DDR4L, Maximum RAM supported: 32 GB. Ethernet LAN data rates: 10,100,1000 Mbit/s, Copper ethernet cabling technology: 10BASE-T, 100BASE-TX, 1000BASE-T, Supported network protocols: SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP,.... Chassis type: Tower, Cooling type: Active, Product colour: Black





Storage		Design	
Supported storage drive interfaces	M.2, Serial ATA III	Built-in display	×
Storage drive sizes supported	2.5,3.5"	Cable lock slot	1
Number of M.2 (M & B) slots	2	Cable lock slot type	Kensington
RAID support *	✓	Built-in speaker(s)	×
RAID levels	0, 1, 5, 6, 10, JBOD	Performance	
Online RAID migration	✓	Type *	NAS
Online RAID expansion	✓	Device class *	Home & Home Office
Hot-swap drive bays	✓	Backup function *	<i>J</i>
Supported file systems	BTRFS, Fat, HFS+, NTFS, ext3, ext4	Backup features	Cloud, iSCSI LUN
Storage drives installed *	✓	Multilingual support	✓
Total installed storage capacity *	24 TB	Noise level	22.9 dB
Number of storage drives installed *		Card reader integrated	×
Number of storage drives supported *	4	Management protocols	SNMP
Installed storage drive type *	HDD	Security algorithms	AES
Supported storage drive types *	HDD & SSD	Access Control List (ACL)	✓
5 3.	1100 Q 330	Reset button	✓
Processor		On/off switch	✓
Processor manufacturer *	AMD	Built-in UPnP AV media server	✓
Processor family *	AMD Ryzen	Built-in FTP server	✓
Processor model *	R1600	Browser supported	Google Chrome, Firefox, Microsoft
Processor frequency *	2.6 GHz		Edge, Safari
Processor boost frequency	3.1 GHz	Hot spare	✓
Processor cores	2	Software	
Memory		Operating system installed *	DiskStation Manager
Internal memory type	DDR4L	Operating system version	7.1.1
Maximum RAM supported	32 GB	Server operating systems supported	Windows Server 2016, Windows
Memory slots	2	3.3.	Server 2019
Internal memory *	4 GB	Power	
ECC	✓	Power supply location	External
Network		Power supply unit (PSU) capacity	100 W
Ethernet LAN *	1	Number of power supply units	1
Ethernet LAN data rates	10,100,1000 Mbit/s	Redundant power supply (RPS) support	×
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Power consumption (typical)	35.51 W
iSCSI support	1	Power consumption (HDD standby)	11.52 W
Wake-on-LAN ready	,	AC input voltage	100 - 240 V
o biii icaaj	•		

Network		Power	
Supported network protocols	SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP, SNMP, LDAP, CalDAV	AC input frequency	50 / 60 Hz
		Weight & dimensions	
		Width *	199 mm
Link aggregation	✓	Depth *	223 mm
Ports & interfaces		Height *	166 mm
USB port *	✓	Weight	2.34 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Packaging content	
eSATA ports quantity Ethernet LAN (RJ-45) ports * PCI Express x2 (Gen 3.x) slots	1 2 1	External power adapter Cables included Power cables quantity	✓ AC, LAN (RJ-45) 1
Design		Technical details	
Chassis type * Cooling type * Product colour	Tower Active Black	Sustainability compliance Sustainability certificates Compliance certificates	✓ CE, RoHS CE, RoHS
Number of fans	2 fan(s) 9.2 cm ✓	Operational conditions	
Fan diameter Drive bay locking LED indicators		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 5 - 95% -20 - 60 °C
		Certificates	
		Certification	FCC BSMI VCCI RCM UKCA EAC CCC KC

