

QNAP TVS-872XT-i5-16G 64TB (Seagate Exos) 8-Bay NAS; Intel core i5-8400T 6-core 1.7 GHz Processor(max 3.3 Tower 16 GB DDR4 HDD Black



Brand : QNAP

Product code: TVS-872XT-I5-16G/64TB-EXOS

Product name : TVS-872XT-i5-16G 64TB (Seagate Exos)
8-Bay NAS; Intel core i5-8400T 6-core 1.7 GHz
Processor(max 3.3

- High-speed Thunderbolt™ 3 with SMB protocol, allowing Mac® and Windows® users to collaborate on media editing
- 5-speed 10GBASE-T RJ45 connectivity accelerates virtualization applications and file sharing across teams and devices
- PCIe expandability allows the use of an entry-level graphics card to accelerate NAS video processing and GPU computing
- Install M.2 PCIe (Gen 3 x2, 2 GB/s) NVMe SSDs (sold separately) to set up caching or storage pools, improving file access efficiency
- 4K media playback and real-time transcoding; directly view creative works on an HDTV via HDMI 2.0 (4K @60Hz) output
- Snapshots fully record system status and data, allowing you to protect files and data from accidental deletion and malware attacks

Intel Core i5-8400T 1.7 GHz, DDR4, 8x 2.5/3.5" SATA III, 2x M.2, 1x 10G RJ-45, 2x 1G RJ-45, 2x PCIe, USB 3.0, 2x USB 3.1 C, 2x USB 3.1 A, HDMI 2.0, 2x 3.5mm, 188.2x329.3x279.6 mm

Storage		Performance	
Supported storage drive interfaces	Serial ATA III	Device class *	Small & Medium Business
Storage drive sizes supported	2.5,3.5"	Backup function *	✓
Number of M.2 (M & B) slots	2	Backup features	Cloud, iSCSI LUN
RAID support *	✓	Buzzer	✓
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Multilingual support	✓
Online RAID migration	✓	Web-based management	✓
Online RAID expansion	✓	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv3, SSH, SSL/TLS
RAID rebuild	✓	Access Control List (ACL)	✓
Hot-swap drive bays	✓	Reset button	✓
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	On/off switch	✓
Storage drives installed *	✓	Built-in iTunes server	✓
Number of storage drives supported *	8	Built-in FTP server	✓
Installed storage drive type *	HDD	Browser supported	Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
Supported storage drive types *	HDD & SSD	System log	✓
Bad block scan	✓	Hot spare	✓
Processor		S.M.A.R.T. support	✓
Processor frequency *	1.7 GHz	Share folder	CIFS/SMB
Processor boost frequency	3.3 GHz	Universal Plug and Play (UPnP)	✓
Processor cache	9 MB	USB copy function	✓
Bus type	DMI3	Software	
Configurable TDP-down frequency	1.2 GHz	Operating system version	4.4.0
CPU configuration (max)	1	Windows operating systems supported	Windows 10, Windows 7, Windows 8
ECC supported by processor	✗	Linux operating systems supported	✓
PCI Express configurations	1x16, 1x8+2x4, 2x8		
PCI Express slots version	3.0		
Processor cache type	Smart Cache		
Processor code	SR3X6		
Processor lithography	14 nm		
Processor operating modes	64-bit		
Processor package size	37.5 x 37.5 mm		
Scalability	1S		

Processor		Software	
Stepping	U0	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
System bus rate	8 GT/s		
Tjunction	100 °C		
Thermal Design Power (TDP)	35 W		
Maximum internal memory supported by processor	64 GB	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Memory bandwidth supported by processor (max)	41.6 GB/s		
Conflict-Free processor	✓		
Memory		Power	
Internal memory *	16 GB	Power supply location	Built-in
Internal memory type	DDR4	Power supply unit (PSU) capacity	250 W
Maximum RAM supported	32 GB	Number of power supply units	1
Memory slots	2	AC input voltage	100 - 240 V
Flash memory	4000 MB	Fan voltage	12 V
Network		Weight & dimensions	
Ethernet LAN *	✓	Width *	329.3 mm
Ethernet LAN data rates	10,100,1000,10000 Mbit/s	Depth *	279.6 mm
Ethernet LAN data rate supported (max)	10000 Mbit/s	Height *	188.2 mm
Wi-Fi	✗	Weight	7.06 kg
DHCP client	✓	Packaging content	
DHCP server	✓	Cables included	AC, LAN (RJ-45)
Jumbo frames support	✓	Quick installation guide	✓
iSCSI support	✓	Processor special features	
Wake-on-LAN ready	✓	Embedded options available	✗
Supported network protocols	TCP/IP, IPv4, IPv6	Enhanced Intel SpeedStep Technology	✓
Dynamic DNS (DDNS)	✓	Execute Disable Bit	✓
WLAN adapter supported	✓	Idle States	✓
Ports & interfaces		Intel 64	✓
USB port *	✓	Intel Clear Video Technology	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Intel Enhanced Halt State	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Intel Identity Protection Technology version	1.00
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Intel Secure Key Technology version	1.00
HDMI ports quantity	1	Intel Stable Image Platform Program (SIPP)	✗
Thunderbolt 3 ports quantity	2	Intel Trusted Execution Technology	✗
Ethernet LAN (RJ-45) ports *	3	Intel TSX-NI	✗
3.5 mm (1/8-inch) out	✓	Intel TSX-NI version	0.00
Microphone in	✓	Intel Virtualization Technology (VT-x)	✓
PCI Express x4 (Gen 3.x) slots	1	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Graphics		Intel VT-x with Extended Page Tables (EPT)	✓
On-board graphics card base frequency	350 MHz	Intel® AES New Instructions (Intel® AES-NI)	✓
On-board graphics card dynamic frequency (max)	1050 MHz	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
On-board graphics card ID	0x3E92	Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT for MID)	✓
Maximum on-board graphics card memory	64 GB	Intel® Hyper Threading Technology (Intel® HT Technology)	✗
Number of displays supported (on-board graphics)	3	Intel® Identity Protection Technology (Intel® IPT)	✓
Design		Intel® InTru™ 3D Technology	✓
Chassis type *	Tower	Intel® OS Guard	✓
Cooling type *	Active	Intel® Quick Sync Video Technology	✓
Product colour	Black	Intel® Secure Key	✓
Number of fans	4 fan(s)		
Fan diameter	12 cm		

Design		Processor special features	
Fan diameter 2	6 cm	Intel® Turbo Boost Technology	2.0
LED indicators	HDD, LAN, USB	Maximum number of PCI Express lanes	16
Built-in display	✓	Thermal Monitoring Technologies	✓
Cable lock slot	✓	Thermal solution specification	PCG 2015A
Cable lock slot type	Kensington	Memory channels supported by processor	Dual
Built-in speaker(s)	✓	Memory types supported by processor	DDR4-SDRAM
Number of built-in speakers	1		
Performance		Operational conditions	
Type *	NAS	Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Logistics data	
		Harmonized System (HS) code	84714100
		Other features	
		Digital Living Network Alliance (DLNA) certified	✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.