



QNAP TS-H886 NAS Tower Ethernet LAN Black, Grey D-1622



Brand : QNAP

Product code: TS-H886-D1622-16G/72TB-EXOS

Product name : TS-H886

- Four 2.5GbE ports accelerate file sharing across teams and devices, virtual machine applications or multimedia transmission
 - DDR4 ECC memory detects and corrects single-bit memory errors, demonstrating high reliability for crucial applications
 - Two M.2 NVMe Gen 3 x4 SSD slots (each slot providing up to 3.2 GB/s bandwidth) enable SSD caching to boost random read/write performance
 - Two PCIe slots allow for 5GbE/10GbE/25GbE/40GbE adapters, QM2 cards, or entry-level graphics cards to increase application performance
 - Scalable storage supporting virtual machines, containerized apps, centralized storage, backup, sharing, and disaster recovery
 - QuTS hero combines ZFS advantages with the QTS App Center ecosystem to empower your business
- Xeon D-1622 2.6 GHz, 16 GB DDR4, 5GB, 6x 3.5" + 2x 2.5", 2x M.2, 4x 2.5G LAN, 3x USB 3.2, 231.9x292.9x319.8 mm

Storage		Performance	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Multilingual support	✓
Storage drive sizes supported	2.5,3.5"	Noise level	20.4 dB
Number of M.2 (M & B) slots	2	Snapshot	✓
RAID support *	✓	Web-based management	✓
RAID levels	0, 1, 5, 6, 10, 50, 60	Security algorithms	256-bit AES, AES, FIPS 140-2, HTTPS, SSH, SSL/TLS
Online RAID migration	✓	Access Control List (ACL)	✓
Online RAID expansion	✓	Reset button	✓
RAID rebuild	✓	On/off switch	✓
Hot-swap drive bays	✓	Built-in FTP server	✓
Supported file systems	FAT32, HFS+, NTFS, ZFS, ext3, ext4	Browser supported	Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
Storage drives installed *	✓	System log	✓
Total installed storage capacity *	72 TB	Hot spare	✓
Number of storage drives installed *	8	S.M.A.R.T. support	✓
Number of storage drives supported *	8	Share folder	CIFS/SMB
Installed storage drive type *	HDD	Universal Plug and Play (UPnP)	✓
Supported storage drive types *	HDD & SSD	USB copy function	✓
Bad block scan	✓	Software	
Disk roaming	✓	Operating system installed *	QNAP Turbo System
Processor		Operating system version	4.5.0
Processor manufacturer *	Intel	Windows operating systems supported	Windows 10, Windows 7, Windows 8
Processor family *	Intel® Xeon® D	Linux operating systems supported	✓
Processor model *	D-1622	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina
Processor frequency *	2.6 GHz	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Processor boost frequency	3.2 GHz	Power	
Processor cores	4	Power supply location	Built-in
Processor threads	8	Power supply unit (PSU) capacity	250 W
Processor cache	6 MB	Number of power supply units	1
CPU configuration (max)	1	Power consumption (typical)	75.79 W
PCI Express slots version	2.0, 3.0	AC input voltage	100 - 240 V
Processor lithography	14 nm	AC input frequency	50 - 60 Hz
Processor operating modes	64-bit		
Processor package size	37.5 x 37.5 mm		
Scalability	1S		
Tcase	83 °C		
Tjunction	105 °C		
Thermal Design Power (TDP)	40 W		
On-board graphics card model	Not available		
Maximum internal memory supported by processor	128 GB		

Memory		Weight & dimensions	
Internal memory type	DDR4	Width *	292.9 mm
Maximum RAM supported	128 GB	Depth *	319.8 mm
Internal memory *	16 GB	Height *	231.9 mm
Memory form factor	UDIMM	Weight	8.5 kg
Flash memory	5000 MB	Packaging content	
Network		Cables included	AC, LAN (RJ-45)
Ethernet LAN *	✓	Number of screws	32
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Processor special features	
DHCP client	✓	Embedded options available	✗
DHCP server	✓	Enhanced Intel SpeedStep Technology	✓
Jumbo frames support	✓	Execute Disable Bit	✓
Supported network protocols	TCP/IP, HTTP/HTTPS	Idle States	✓
Ports & interfaces		Intel 64	✓
USB port *	✓	Intel QuickAssist Technology	✗
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Intel Trusted Execution Technology	✓
Ethernet LAN (RJ-45) ports *	4	Intel TSX-NI	✓
PCI Express x8 (Gen 3.x) slots	2	Intel Virtualization Technology (VT-x)	✓
Design		Intel Virtualization Technology for Directed I/O (VT-d)	✓
Chassis type *	Tower	Intel VT-x with Extended Page Tables (EPT)	✓
Cooling type *	Active	Intel® AES New Instructions (Intel® AES-NI)	✓
Product colour	Black, Grey	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Number of fans	3 fan(s)	Intel® OS Guard	✓
Fan diameter	8 cm	Intel® Secure Key	✓
Fan diameter 2	9.7 cm	Intel® Turbo Boost Technology	2.0
LED indicators	HDD, SSD, Status	Maximum number of PCI Express lanes	32
Built-in display	✓	Thermal Monitoring Technologies	✓
Cable lock slot	✓	Memory types supported by processor	DDR3-SDRAM, DDR4-SDRAM
Cable lock slot type	Kensington	Operational conditions	
Performance		Operating temperature (T-T)	0 - 35 °C
Type *	NAS	Operating relative humidity (H-H)	5 - 95%
Device class *	Large Enterprise Business	Logistics data	
Backup function *	✓	Harmonized System (HS) code	84714100
Backup features	Cloud, iSCSI LUN	Other features	
Buzzer	✓	Processor ARK ID	193687

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-MAR-2024. Prints or copies of Information are only valid on the printed Publication date