QNAP

QNAP TS-673A-8G NAS Tower AMD Ryzen V1500B 8 GB DDR4 72 TB HDD Black

Brand : QNAP **Product code:** TS-673A-8G/72TB-IW

Product name: TS-673A-8G

AMD Ryzen Embedded V1500B quad-core 2.2 GHz, 64-bit x86, 8 GB SO-DIMM DDR4, 6 x 3.5-inch SATA 6Gb/s, 3Gb/s, 2 x M.2 2280 PCIe Gen3 x1 slots, 250W, 100-240V AC, 50-60Hz, 3.5A QNAP TS-673A-8G. Type: NAS. Chassis type: Tower. Device class: Small & Medium Business. Processor family: AMD Ryzen, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 72 TB, Installed storage drive type: HDD





		D. 4. 6 1.1. 6	
Storage		Ports & interfaces	
Supported storage drive interfaces Storage drive sizes supported	M.2, Serial ATA II, Serial ATA III 2.5,3.5,M.2	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3
Number of system drives installed	2.5,5.5,M.2 1	Ethernet LAN (RJ-45) ports *	2
System drive capacity	5 GB	PCI Express x4 (Gen 3.x) slots	2
Number of M.2 (M & B) slots	2	Design	
RAID support *	✓	Chassis type *	Tower
RAID levels	0, 1, 5, 6, 10, 50, JBOD	Cooling type *	Active
RAID rebuild	✓	Product colour	Black
Hot-swap drive bays	✓	Housing material	Metal
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Number of fans	3 fan(s)
Storage drives installed *	✓	Fan diameter	6 cm
Total installed storage capacity *	72 TB	Fan diameter 2	9.2 cm
Number of storage drives installed *		LED indicators	HDD, LAN, Power, SSD, Status, USB
Number of storage drives supported *	6	Cable lock slot	1
Installed storage drive type *	HDD	Cable lock slot type	Kensington
Supported storage drive types *	HDD & SSD	Built-in speaker(s)	×
Processor		Performance	
Processor manufacturer *	AMD	Type *	NAS
Processor family *	AMD Ryzen	Device class *	Small & Medium Business
Processor model *	V1500B	Backup function *	✓
Processor frequency *	2.2 GHz	Backup features	Cloud, iSCSI LUN
Processor cores	4	Buzzer	4
Processor threads	8	Noise level	20.3 dB
Number of processors supported	1	Security algorithms	256-bit AES, FIPS 140-2, SSH, SSL/TLS
Memory		Access Control List (ACL)	1
Internal memory *	8 GB	Reset button	1
Internal memory type	DDR4	On/off switch	✓
Maximum RAM supported	64 GB	Built-in FTP server	√
Memory slots	2	Hot spare	V
Memory form factor	SO-DIMM	Password authentication	V
ECC	✓	S.M.A.R.T. support	4
Flash memory	5000 MB	Remotely operated	V
Network		Power	D 1911
Ethernet LAN *	✓	Power supply unit (DSLI) canacity	Built-in
Ethernet LAN data rates	100,1000,2500,5000 Mbit/s	Power supply unit (PSU) capacity	250 W 1
DHCP server	√	Number of power supply units Power consumption (typical)	45.898 W
Jumbo frames support	V	Power consumption (sleep)	21.891 W
iSCSI support	✓	i ower consumption (sieep)	21.031 W

Network		Power	
Wake-on-LAN ready Dynamic DNS (DDNS)	*	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
Ports & interfaces		Weight & dimensions	
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Width * Depth * Height * Weight Package weight	264.3 mm 280.8 mm 188.2 mm 5.78 kg 7.35 kg
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 5 - 95% -20 - 70 °C
		Logistics data	
		Harmonized System (HS) code	84714100

