QNAP TS-1673AU-RP NAS Rack (3U) Ethernet LAN Black, Grey V1500B

Brand : QNAP

Product code: TS-1673AU-RP-16G/288TB-EXOS

Product name : TS-1673AU-RP

AMD Ryzen Embedded V1500B, 16 GB UDIMM DDR4 (1 x 16 GB), 5 GB Flash, 16 x 3.5-inch SATA 2/3, 132 x 482 x 425 mm, 550W (x2) PSU, 100 - 240V

QNAP TS-1673AU-RP. Total installed storage capacity: 288 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: Ryzen Embedded, Processor manufacturer: AMD, Processor model: V1500B. Internal memory: 16 GB, Internal memory type: DDR4, Maximum RAM supported: 32 GB. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Chassis type: Rack (3U), Cooling type: Active, Product colour: Black, Grey





| Storage | | Ports & interfaces | |
|--|--|--|--|
| Storage drive interface * Supported storage drive interfaces | Serial ATA II, Serial ATA III Serial ATA II, Serial ATA III | USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C | 1 |
| Storage drive size | 2.5/3.5" | ports quantity | 2 |
| Storage drive sizes supported RAID support * | 2.5,3.5" | Ethernet LAN (RJ-45) ports * | 2 |
| RAID levels | 0, 1, 5, 6, 10, 50, 60, JBOD | Design | |
| Hot-swap drive bays | ✓ | - Chassis type * | Rack (3U) |
| Storage drives installed * | 1 | Cooling type * | Active |
| Total installed storage capacity * | 288 TB | Product colour | Black, Grey |
| Number of storage drives installed * | 16 | Number of fans | 3 fan(s) |
| Number of storage drives supported * | 16 | Fan diameter LED indicators | 8 cm HDD, LAN, Power, Status, USB |
| Installed storage drive type * | HDD | Performance | |
| Supported storage drive types * | HDD & SSD | Type * | NAS |
| Processor | | Device class * | Small & Medium Business |
| Processor manufacturer * | AMD | Backup function * | v |
| Processor family * | Ryzen Embedded | Backup features | Cloud, iSCSI LUN |
| Processor model * | V1500B | Multilingual support | 1 |
| Processor frequency * | 2.2 GHz | Software | |
| Processor cores | 4 8 | Operating system installed * | QNAP Turbo System |
| Processor threads L2 cache | o 2 MB | Operating system version | 4.4.2 |
| L3 cache | 4 MB | Windows operating systems supported | Windows 10, Windows 7, Windows 8 |
| Memory | | Linux operating systems supported | 1 |
| Internal memory type Maximum RAM supported Memory slots Internal memory * Memory form factor Flash memory | DDR4 32 GB 2 16 GB DIMM 5000 MB | Mac operating systems supported | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina Windows Server 2008 R2, Windows |
| Network | | | Server 2008 R2 x64, Windows Server 2012, Windows Server 2012 |
| Ethernet LAN * Ethernet LAN data rates DHCP client | ✓ 10,100,1000,2500 Mbit/s | Server operating systems supported | |
| DHCP server | 1 | Other operating systems supported | Solaris 10 |
| Jumbo frames support | ✓ | Power | |
| iSCSI support | ✓ | Power supply location | Built-in |
| Dynamic DNS (DDNS) | 1 | Power supply unit (PSU) capacity | 550 W |
| | | Number of power supply units | 2 |

Ports & interfaces

USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity

✓ 1

| Power | | | |
|--|-----------------------------------|--|--|
| Power consumption (typical) Power consumption (sleep) AC input voltage | 97.34 W 47.75 W 100 - 240 V | | |
| Weight & dimensions | | | |
| Width * | 482 mm | | |
| Depth * | 425 mm | | |
| Height * | 132 mm | | |
| Weight | 12 kg | | |
| Package weight | 17.1 kg | | |
| Operational conditions | | | |
| Operating temperature (T-T) Operating relative humidity (H-H) | 0 - 40 °C 5 - 95% | | |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.