

## QNAP DS723+ NAS Desktop Ethernet LAN Black R1600

**Brand :** QNAP

**Product code:** DS723+/16TB-IW

**Product name :** DS723+

AMD Ryzen R1600, 2 GB DDR4 ECC, 20.7 dB, 65 W, 100 - 240 V  
 QNAP DS723+. Total installed storage capacity: 16 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: AMD Ryzen, Processor manufacturer: AMD, Processor model: R1600. Internal memory: 2 GB, Internal memory type: DDR4, Maximum RAM supported: 32 GB. Ethernet LAN data rates: 10,100,1000 Mbit/s, Ethernet LAN data rate supported (max): 10000 Mbit/s, Supported network protocols: SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP,..... Chassis type: Desktop, Cooling type: Active, Product colour: Black



Storage		Design	
Storage drive interface *	Serial ATA	Product colour	Black
Storage drive sizes supported	2.5,3.5,M.2	Number of fans	1 fan(s)
Number of M.2 (M & B) slots	2	Fan diameter	9.2 cm
RAID support *	✓	Drive bay locking	✓
RAID levels	0, 1, 5, 6, 10, JBOD	LED indicators	Power, Status
Online RAID migration	✓	Cable lock slot	✓
Online RAID expansion	✓	Cable lock slot type	Kensington
Hot-swap drive bays	✓	Performance	
Supported file systems	BTRFS, Fat, HFS+, NTFS, exFAT, ext3, ext4	Type *	NAS
Storage drives installed *	✓	Device class *	Home & Home Office
Total installed storage capacity *	16 TB	Backup function *	✓
Number of storage drives installed *	2	Backup features	Cloud, iSCSI LUN
Number of storage drives supported *	2	Multilingual support	✓
Installed storage drive type *	HDD	Number of users	2048 user(s)
Supported storage drive types *	HDD & SSD	Noise level	20.7 dB
Processor		Share folder access right management	✓
Processor manufacturer *	AMD	Security algorithms	AES, SSH, HTTPS, SSL/TLS
Processor family *	AMD Ryzen	Access Control List (ACL)	✓
Processor model *	R1600	Reset button	✓
Processor frequency *	2.6 GHz	On/off switch	✓
Processor boost frequency	3.1 GHz	Built-in FTP server	✓
Processor cores	2	Browser supported	Google Chrome, Firefox, Microsoft Edge, Safari
Processor threads	4	System log	✓
Number of processors supported	1	Share folder	512
Memory		Software	
Internal memory type	DDR4	Operating system installed *	DiskStation Manager
Maximum RAM supported	32 GB	Server operating systems supported	Windows Server 2016, Windows Server 2019
Memory slots	2	Power	
Internal memory *	2 GB	Power supply location	External
Memory form factor	SO-DIMM		

<b>Memory</b>		<b>Power</b>	
ECC	✓	Power supply unit (PSU) capacity	65 W
<b>Network</b>		Power consumption (typical)	21.07 W
Ethernet LAN *	✓	Power consumption (HDD standby)	8.62 W
Ethernet LAN data rates	10,100,1000 Mbit/s	AC input voltage	100 - 240 V
Ethernet LAN data rate supported (max)	10000 Mbit/s	AC input frequency	50 - 60 Hz
iSCSI support	✓	<b>Weight &amp; dimensions</b>	
Wake-on-LAN ready	✓	Width *	106 mm
Supported network protocols	SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPS, FTP, SNMP, LDAP, CalDAV	Depth *	223 mm
		Height *	166 mm
Link aggregation	✓	<b>Packaging content</b>	
Load balancing system	✓	External power adapter	✓
<b>Ports &amp; interfaces</b>		Cables included	AC, LAN (RJ-45)
USB port *	✓	Power cables quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	<b>Technical details</b>	
eSATA ports quantity	1	Sustainability compliance	✓
Ethernet LAN (RJ-45) ports *	2	Sustainability certificates	CCC, CE, Federal Communications Commission (FCC), RoHS, UKCA
Concurrent connections	500	Compliance certificates	CCC, CE, Federal Communications Commission (FCC), RoHS, UKCA
PCI Express x2 (Gen 3.x) slots	1	<b>Operational conditions</b>	
<b>Design</b>		Operating temperature (T-T)	0 - 40 °C
Chassis type *	Desktop	Operating relative humidity (H-H)	8 - 80%
Cooling type *	Active	Storage temperature (T-T)	-20 - 60 °C
		Storage relative humidity (H-H)	5 - 95%
		Operating altitude	0 - 5000 m
		<b>Certificates</b>	
		Certification	BSMI, VCCI, RCM, EAC, KC

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.