QNAP

QNAP TS-1673AU-RP NAS Rack (3U) Ryzen Embedded V1500B 16 GB DDR4 192 TB HDD QNAP Turbo System Black, Grey

Brand: QNAP Product code: TS-1673AU-RP-16G/192TB-GOLD

Product name : TS-1673AU-RP

AMD Ryzen Embedded V1500B, 16 GB UDIMM DDR4 (1 x 16 GB), 5 GB Flash, 16 x 3.5-inch SATA 2/3, 132 \times 482 \times 425 mm, 550W (x2) PSU, 100 - 240V

QNAP TS-1673AU-RP. Type: NAS. Chassis type: Rack (3U). Device class: Small & Medium Business. Processor family: Ryzen Embedded, Processor model: V1500B, Processor frequency: 2.2 GHz. Internal memory: 16 GB, Internal memory type: DDR4. Total installed storage capacity: 192 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System



Storage		Ports & interfaces	
Storage drive interface * Supported storage drive interfaces Storage drive size Storage drive sizes supported	2.5/3.5" 2.5,3.5"	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity Ethernet LAN (RJ-45) ports *	1 2 2
RAID support * RAID levels	✓ 0, 1, 5, 6, 10, 50, 60, JBOD	Design	
Hot-swap drive bays Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported *	✓ ✓ 192 TB 16	Chassis type * Cooling type * Product colour Number of fans Fan diameter LED indicators	Rack (3U) Active Black, Grey 3 fan(s) 8 cm HDD, LAN, Power, Status, USB
Installed storage drive type * Supported storage drive types *	HDD & SSD	Performance	
Processor manufacturer * Processor family * Processor model *	AMD Ryzen Embedded V1500B	Type * Device class * Backup function * Backup features Multilingual support	NAS Small & Medium Business ✓ Cloud, iSCSI LUN
Processor frequency *	2.2 GHz	Software	
Processor cores Processor threads L2 cache L3 cache	4 8 2 MB 4 MB	Operating system installed * Operating system version Windows operating systems supported	QNAP Turbo System 4.4.2 Windows 10, Windows 7, Windows 8
Memory		Linux operating systems supported	✓
Internal memory * Internal memory type Maximum RAM supported Memory slots Memory form factor	16 GB DDR4 32 GB 2 DIMM	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina Windows Server 2008 R2, Windows
Flash memory	5000 MB		Server 2008 R2 x64, Windows
Network Ethernet LAN * Ethernet LAN data rates DHCP client	10,100,1000,2500 Mbit/s	Server operating systems supported	Server 2012, Windows Server 2012 R2, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016, Windows Server 2016 x64, Windows Server 2019
DHCP server	1	Other operating systems supported	Solaris 10
Jumbo frames support	✓	Power	
iSCSI support	√	Power supply location	Built-in
Dynamic DNS (DDNS)	√	Power supply unit (PSU) capacity Number of power supply units	550 W 2

Ports & interfaces		Power	
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Power consumption (typical) Power consumption (sleep) AC input voltage	97.34 W 47.75 W 100 - 240 V
		Weight & dimensions	
		Width *	482 mm
		Depth *	425 mm
		Height *	132 mm
		Weight	12 kg
		Package weight	17.1 kg
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 5 - 95%

