



QNAP TVS-872XT-i5-16G 96TB (Seagate Ironwolf) 8-Bay NAS; Intel core i5-8400T 6-core 1.7 GHz Processor(max Tower Ethernet LAN Black



Brand : QNAP

Product code: TVS-872XT-I5-16G/96TB-IW

Product name : TVS-872XT-i5-16G 96TB (Seagate Ironwolf) 8-Bay NAS; Intel core i5-8400T 6-core 1.7 GHz Processor(max

- High-speed Thunderbolt™ 3 with SMB protocol, allowing Mac® and Windows® users to collaborate on media editing
 - 5-speed 10GBASE-T RJ45 connectivity accelerates virtualization applications and file sharing across teams and devices
 - PCIe expandability allows the use of an entry-level graphics card to accelerate NAS video processing and GPU computing
 - Install M.2 PCIe (Gen 3 x2, 2 GB/s) NVMe SSDs (sold separately) to set up caching or storage pools, improving file access efficiency
 - 4K media playback and real-time transcoding; directly view creative works on an HDTV via HDMI 2.0 (4K @60Hz) output
 - Snapshots fully record system status and data, allowing you to protect files and data from accidental deletion and malware attacks
- Intel Core i5-8400T 1.7 GHz, DDR4, 8x 2.5/3.5" SATA III, 2x M.2, 1x 10G RJ-45, 2x 1G RJ-45, 2x PCIe, USB 3.0, 2x USB 3.1 C, 2x USB 3.1 A, HDMI 2.0, 2x 3.5mm, 188.2x329.3x279.6 mm

Storage		Performance	
Supported storage drive interfaces	Serial ATA III	Type *	NAS
Storage drive sizes supported	2.5,3.5"	Device class *	Small & Medium Business
Number of M.2 (M & B) slots	2	Backup function *	✓
RAID support *	✓	Backup features	Cloud, iSCSI LUN
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Buzzer	✓
Online RAID migration	✓	Multilingual support	✓
Online RAID expansion	✓	Web-based management	✓
RAID rebuild	✓	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv3, SSH, SSL/TLS
Hot-swap drive bays	✓	Access Control List (ACL)	✓
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Reset button	✓
Storage drives installed *	✓	On/off switch	✓
Number of storage drives supported *	8	Built-in iTunes server	✓
Installed storage drive type *	HDD	Built-in FTP server	✓
Supported storage drive types *	HDD & SSD	Browser supported	Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
Bad block scan	✓	System log	✓
Processor		Hot spare	✓
Processor frequency *	1.7 GHz	S.M.A.R.T. support	✓
Processor boost frequency	3.3 GHz	Share folder	CIFS/SMB
Processor cache	9 MB	Universal Plug and Play (UPnP)	✓
Bus type	DMI3	USB copy function	✓
Configurable TDP-down frequency	1.2 GHz	Software	
CPU configuration (max)	1	Operating system version	4.4.0
ECC supported by processor	✗	Windows operating systems supported	Windows 10, Windows 7, Windows 8
PCI Express configurations	1x16, 1x8+2x4, 2x8	Linux operating systems supported	✓
PCI Express slots version	3.0	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Processor cache type	Smart Cache	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Processor code	SR3X6		
Processor lithography	14 nm		
Processor operating modes	64-bit		
Processor package size	37.5 x 37.5 mm		
Scalability	1S		
Stepping	U0		
System bus rate	8 GT/s		
Tjunction	100 °C		

Processor		Power	
Thermal Design Power (TDP)	35 W	Power supply location	Built-in
Maximum internal memory supported by processor	64 GB	Power supply unit (PSU) capacity	250 W
Memory bandwidth supported by processor (max)	41.6 GB/s	Number of power supply units	1
Conflict-Free processor	✓	AC input voltage	100 - 240 V
Memory		Fan voltage	12 V
Internal memory type	DDR4	Weight & dimensions	
Maximum RAM supported	32 GB	Width *	329.3 mm
Memory slots	2	Depth *	279.6 mm
Internal memory *	16 GB	Height *	188.2 mm
Flash memory	4000 MB	Weight	7.06 kg
Network		Packaging content	
Ethernet LAN *	✓	Cables included	AC, LAN (RJ-45)
Ethernet LAN data rates	10,100,1000,10000 Mbit/s	Quick installation guide	✓
Ethernet LAN data rate supported (max)	10000 Mbit/s	Processor special features	
Wi-Fi	✗	Embedded options available	✗
DHCP client	✓	Enhanced Intel SpeedStep Technology	✓
DHCP server	✓	Execute Disable Bit	✓
Jumbo frames support	✓	Idle States	✓
iSCSI support	✓	Intel 64	✓
Wake-on-LAN ready	✓	Intel Clear Video Technology	✓
Supported network protocols	TCP/IP, IPv4, IPv6	Intel Enhanced Halt State	✓
Dynamic DNS (DDNS)	✓	Intel Identity Protection Technology version	1.00
WLAN adapter supported	✓	Intel Secure Key Technology version	1.00
Ports & interfaces		Intel Stable Image Platform Program (SIPP)	✗
USB port *	✓	Intel Trusted Execution Technology	✗
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Intel TSX-NI	✗
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Intel TSX-NI version	0.00
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Intel Virtualization Technology (VT-x)	✓
HDMI ports quantity	1	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Ethernet LAN (RJ-45) ports *	3	Intel VT-x with Extended Page Tables (EPT)	✓
Thunderbolt 3 ports quantity	2	Intel® AES New Instructions (Intel® AES-NI)	✓
3.5 mm (1/8-inch) out	✓	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
PCI Express x4 (Gen 3.x) slots	1	Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT for MID)	✓
Microphone in	✓	Intel® Hyper Threading Technology (Intel® HT Technology)	✗
Graphics		Intel® Identity Protection Technology (Intel® IPT)	✓
On-board graphics card base frequency	350 MHz	Intel® InTru™ 3D Technology	✓
On-board graphics card dynamic frequency (max)	1050 MHz	Intel® OS Guard	✓
On-board graphics card ID	0x3E92	Intel® Quick Sync Video Technology	✓
Maximum on-board graphics card memory	64 GB	Intel® Secure Key	✓
Number of displays supported (on-board graphics)	3	Intel® Turbo Boost Technology	2.0
Design		Maximum number of PCI Express lanes	16
Chassis type *	Tower	Thermal Monitoring Technologies	✓
Cooling type *	Active	Thermal solution specification	PCG 2015A
Product colour	Black	Memory channels supported by processor	Dual
Number of fans	4 fan(s)	Memory types supported by processor	DDR4-SDRAM
Fan diameter	12 cm	Operational conditions	
Fan diameter 2	6 cm	Operating temperature (T-T)	0 - 40 °C
LED indicators	HDD, LAN, USB		
Built-in display	✓		
Cable lock slot	✓		
Cable lock slot type	Kensington		

Design		Operational conditions	
Built-in speaker(s)	✓	Operating relative humidity (H-H)	5 - 95%
Number of built-in speakers	1	Other features	
		Digital Living Network Alliance (DLNA) certified	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-MAR-2024. Prints or copies of Information are only valid on the printed Publication date