QNAP

QNAP TVS-872XT-i5-16G 16TB (Seagate Exos) 8-Bay NAS; Intel core i5-8400T 6-core 1.7 GHz Processor(max 3.3 Tower 16 GB DDR4 HDD Black

Brand : QNAP **Product code:** TVS-872XT-I5-16G/16TB-EXOS

Product name : TVS-872XT-i5-16G 16TB (Seagate Exos) 8-Bay NAS; Intel core i5-8400T 6-core 1.7 GHz Processor(max 3.3

- High-speed Thunderbolt $^{\mbox{\tiny MS}}$ 3 with SMB protocol, allowing Mac $\mbox{\it @}$ and Windows $\mbox{\it @}$ users to collaborate on media editing
- 5-speed $10\bar{\text{GBASE-T}}$ RJ45 connectivity accelerates virtualization applications and file sharing across teams and devices
- PCIe expandability allows the use of an entry-level graphics card to accelerate NAS video processing and GPU computing
- Install M.2 PCIe (Gen 3 \times 2, 2 GB/s) NVMe SSDs (sold separately) to set up caching or storage pools, improving file access efficiency
- 4K media playback and real-time transcoding; directly view creative works on an HDTV via HDMI 2.0 (4K \otimes 60Hz) output
- Snapshots fully record system status and data, allowing you to protect files and data from accidental deletion and malware attacks

Intel Core i5-8400T 1.7 GHz, DDR4, 8x 2.5/3.5" SATA III, 2x M.2, 1x 10G RJ-45, 2x 1G RJ-45, 2x PCIe, USB 3.0, 2x USB 3.1 C, 2x USB 3.1 A, HDMI 2.0, 2x 3.5mm, 188.2x329.3x279.6 mm





Storago		Performance	
Storage			
Supported storage drive interfaces	Serial ATA III	Type *	NAS
Storage drive sizes supported	2.5,3.5"	Device class *	Small & Medium Business
Number of M.2 (M & B) slots	2	Backup function *	✓
RAID support *	1	Backup features	Cloud, iSCSI LUN
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Buzzer	✓
Online RAID migration	✓	Multilingual support	✓
Online RAID expansion	✓	Web-based management	✓
RAID rebuild Hot-swap drive bays	1	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SNMPv3, SSH, SSL/TLS
Supported file systems	FAT32, HFS+, NTFS, ext3, ext4	Access Control List (ACL)	✓
Storage drives installed *	✓	Reset button	✓
Number of storage drives supported		On/off switch	/
*	8	Built-in iTunes server	✓
Installed storage drive type *	HDD	Built-in FTP server	1
Supported storage drive types *	HDD & SSD	Built III I Server	Apple Safari 7+, Google Chrome,
Bad block scan	✓	Browser supported	Microsoft Internet Explorer 10+, Mozilla Firefox
Processor		System log	/
Processor frequency *	1.7 GHz	Hot spare	✓
Processor boost frequency	3.3 GHz	S.M.A.R.T. support	<i>'</i>
Processor cache	9 MB	Share folder	CIFS/SMB
Bus type	DMI3	Universal Plug and Play (UPnP)	•
Configurable TDP-down frequency	1.2 GHz	, , , ,	✓
CPU configuration (max)	1	USB copy function	•
ECC supported by processor	×	Software	
PCI Express configurations	1x16, 1x8+2x4, 2x8	Operating system version	4.4.0
PCI Express slots version	3.0	Windows operating systems	Windows 10, Windows 7, Windows 8
Processor cache type	Smart Cache	supported	Willdows 10, Willdows 7, Willdows 0
Processor code	SR3X6	Linux operating systems supported	✓
Processor lithography	14 nm		
Processor operating modes	64-bit		
Processor package size	37.5 x 37.5 mm		
Scalability	1S		

Processor		Software	
Stepping System bus rate Tjunction Thermal Design Power (TDP) Maximum internal memory	U0 8 GT/s 100 °C 35 W	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
supported by processor Memory bandwidth supported by processor (max)	41.6 GB/s	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Conflict-Free processor	✓	D	Williaows Server 2010
Memory		Power cumby legation	Duilt in
Internal memory * Internal memory type Maximum RAM supported	16 GB DDR4 32 GB	Power supply location Power supply unit (PSU) capacity Number of power supply units AC input voltage	Built-in 250 W 1 100 - 240 V
Memory slots Flash memory	2 4000 MB	Fan voltage	12 V
•	4000 MB	Weight & dimensions	
Network		Width *	329.3 mm
Ethernet LAN *	10 100 1000 10000 MIN	Depth *	279.6 mm
Ethernet LAN data rates Ethernet LAN data rate supported	10,100,1000,10000 Mbit/s	Height * Weight	188.2 mm 7.06 kg
(max)	10000 Mbit/s		7.00 kg
Wi-Fi	X	Packaging content	AC LAN (DLAE)
DHCP client	✓	Cables included Quick installation guide	AC, LAN (RJ-45) ✓
DHCP server	✓		<u>*</u>
Jumbo frames support	✓	Processor special features	
iSCSI support	•	Embedded options available	X
Wake-on-LAN ready	TCD/ID_ID. // ID. C	Enhanced Intel SpeedStep Technology	✓
Supported network protocols Dynamic DNS (DDNS)	TCP/IP, IPv4, IPv6 ✓	Execute Disable Bit	✓
WLAN adapter supported	v	Idle States	✓
	•	Intel 64	✓
Ports & interfaces		Intel Clear Video Technology	✓
USB port *	✓	Intel Enhanced Halt State	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Intel Identity Protection Technology version	1.00
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Intel Secure Key Technology version Intel Stable Image Platform Program	
ports quantity	2	(SIPP)	^
HDMI ports quantity	1	Intel Trusted Execution Technology	X
Thunderbolt 3 ports quantity	2	Intel TSX-NI	X
Ethernet LAN (RJ-45) ports * 3.5 mm (1/8-inch) out	3 ✓	Intel TSX-NI version Intel Virtualization Technology (VT-	0.00
Microphone in	·	x)	✓
PCI Express x4 (Gen 3.x) slots	1	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Graphics		Intel VT-x with Extended Page Tables (EPT)	✓
On-board graphics card base frequency	350 MHz	Intel® AES New Instructions (Intel® AES-NI)	✓
On-board graphics card dynamic frequency (max)	1050 MHz	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
On-board graphics card ID Maximum on-board graphics card memory	0x3E92 64 GB	Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT for MID)	•
Number of displays supported (on- board graphics)	3	Intel® Hyper Threading Technology (Intel® HT Technology)	×
Design		Intel® Identity Protection	✓
Chassis type *	Tower	Technology (Intel® IPT) Intel® InTru™ 3D Technology	1
Cooling type *	Active	Intel® OS Guard	
Product colour	Black	Intel® Quick Sync Video Technology	✓
Number of fans Fan diameter	4 fan(s) 12 cm	Intel® Secure Key	·

Design		Processor special features	
Fan diameter 2 LED indicators Built-in display Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers	6 cm HDD, LAN, USB Kensington 1	Intel® Turbo Boost Technology Maximum number of PCI Express lanes Thermal Monitoring Technologies Thermal solution specification Memory channels supported by processor Memory types supported by processor	2.0 16 ✓ PCG 2015A Dual DDR4-SDRAM
		Operational conditions Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 5 - 95%
		Other features Digital Living Network Alliance (DLNA) certified	•

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.