

## QNAP TVS-672X-I3-8G/60TB-REDPRO NAS/storage server Tower Ethernet LAN Black i3-8100T





**Brand :** QNAP **Product code:** TVS-672X-I3-8G/60TB-REDPRO

×



Product name: TVS-672X-I3-8G/60TB-REDPRO

- 5-speed 10GBASE-T RJ45 connectivity accelerates virtualization, intensive file access, large backup/restoration tasks, and media transfer
- Dual M.2 PCIe Gen 3  $\times$ 2 NVMe SSD slots enable cache acceleration or SSD storage pools for improved performance
- PCIe expansion allows for 2.5/5/10/25 GbE network cards, QM2 card, QXP storage expansion cards, or graphics cards
- 4K media playback and real-time transcoding; display multimedia content saved on the NAS via HDMI 2.0 (4K @60Hz) output
- Host multiple virtual machines and containers to run a wide range of applications and services
- A business-class backup center supporting backup/restore of cloud data and VMs (including Google™ Workspace, Microsoft 365®, VMware® and Hyper-V)

Intel Core i3-8100T (4x 3.1GHz), Intel UHD Graphics 630, 8GB DDR4, 5GB Flash, 6x 2.5"/3.5" SATA, 2x M.2, LAN, HDMI, USB, LCD

Storage		Performance	
Storage drive interface * Supported storage drive interfaces Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild	Serial ATA II, Serial ATA III M.2, Serial ATA II, Serial ATA III 2.5,3.5,M.2 2 4 0, 1, 5, 6, 10, 50, JBOD 4 4	Device class * Backup function * Backup features Buzzer Multilingual support Number of users Noise level Third-party support Snapshot	Small & Medium Business  ✓ Cloud, USB drive, iSCSI LUN  ✓ ✓ 4096 user(s) 23.8 dB  ✓
Hot-swap drive bays	✓	Web-based management	✓
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Share folder access right management	✓
Storage drives installed *  Total installed storage capacity *  Number of storage drives installed *  Number of storage drives supported		Security algorithms  Access Control List (ACL)	256-bit AES, FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSH, SSL/TLS, TLS
*	0	Reset button On/off switch	1
Installed storage drive type * Supported storage drive types * Bad block scan Disk roaming	HDD HDD & SSD ✓	Built-in BitTorrent client Built-in UPnP AV media server Built-in FTP server	1 1 1
Processor		Browser supported	Mozilla Firefox, Microsoft Edge, Google Chrome, Apple Safari
Processor manufacturer * Processor generation Processor family * Processor model * Processor frequency * Processor cores Processor threads	Intel 8th gen Intel® Core™ i3 Intel® Core™ i3 i3-8100T 3.1 GHz 4	System log Hot spare Password authentication Disk scan S.M.A.R.T. support Remotely operated USB copy function	<ul> <li>✓</li> <li>✓</li> <li>✓</li> <li>✓</li> <li>✓</li> <li>✓</li> <li>✓</li> <li>✓</li> </ul>
Bus type	DMI3	Software	
Configurable TDP-down frequency CPU configuration (max)  Number of processors supported On-board graphics card model  1 Intel® UHD Graph	1	Operating system installed * Operating system version Windows operating systems supported	QNAP Turbo System 4.5.1 Windows 10, Windows 7, Windows 8
Memory		Linux operating systems supported	✓
Internal memory type Maximum RAM supported Memory slots Internal memory *	DDR4 64 GB 2 8 GB	Mac operating systems supported  Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Memory		Power	
Memory form factor Flash memory	SO-DIMM 5000 MB	Power supply location Power supply unit (PSU) capacity	Built-in 250 W
Network		Number of power supply units	1
Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported (max)	100,1000,2500,5000,10000 Mbit/s 10000 Mbit/s	Power consumption (typical) Power consumption (HDD standby) AC input voltage Fan voltage	45.6 W 26.52 W 100 - 240 V 12 V
DHCP client	✓	Weight & dimensions	
DHCP server	✓	Width *	264.3 mm
Jumbo frames support	✓	Depth *	279.6 mm
iSCSI support	✓	Height *	188.2 mm
Wake-on-LAN ready	✓	Packaging content	
Link aggregation	✓		AC LAN (DLAF)
Load balancing system	✓	Cables included	AC, LAN (RJ-45)
Dynamic DNS (DDNS)	✓	Power cables quantity	1
WLAN adapter supported	✓	Processor special features	
Ports & interfaces		Embedded options available	✓
USB port *	✓	Enhanced Intel SpeedStep Technology	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Execute Disable Bit	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	2	Idle States	✓
ports quantity	2	Intel 64	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Intel Clear Video Technology	✓
ports quantity	1	Intel Enhanced Halt State	✓
HDMI ports quantity HDMI version	1 2.0	Intel Identity Protection Technology version	1.00
Ethernet LAN (RJ-45) ports *	3	Intel Secure Key Technology version	1.00
PCI Express x4 (Gen 3.x) slots	1	Intel Stable Image Platform Program (SIPP)	×
Design Chassis type *	Tower	Intel Stable Image Platform Program (SIPP) version	0.00
Cooling type *	Active	Intel Trusted Execution Technology	×
Product colour	Black	Intel TSX-NI	×
Number of fans	3 fan(s)	Intel TSX-NI version	0.00
Fan diameter	12 cm	Intel Virtualization Technology (VT-	1
Fan diameter 2	6 cm	x)	•
Drive bay locking	×	Intel Virtualization Technology for Directed I/O (VT-d)	✓
LED indicators	✓	Intel VT-x with Extended Page	
Built-in display	✓	Tables (EPT)	✓
Display type	LCD	Operational conditions	
Cable lock slot	V.	Operating temperature (T-T)	0 - 40 °C
Cable lock slot type	Kensington	Operating relative humidity (H-H)	5 - 95%
Performance		Storage temperature (T-T)	-20 - 70 °C
Type *	NAS	Storage relative humidity (H-H)	5 - 95%

