QNAP

QNAP DS923+ NAS Tower Ethernet LAN Black R1600

Brand : QNAP Product code: DS923+/32TB-HAT53

Product name: DS923+

4 x 3.5" / 2.5" SATA HDD / SSD, M.2 Drive Slots, AMD Ryzen R1600, 4 GB DDR4 ECC, 1GbE QNAP DS923+. Total installed storage capacity: 32 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: AMD Ryzen, Processor manufacturer: AMD, Processor model: R1600. Internal memory: 4 GB, Internal memory type: DDR4L, Maximum RAM supported: 32 GB. Ethernet LAN data rates: 10,100,1000 Mbit/s, Copper ethernet cabling technology: 10BASE-T, 100BASE-TX, 1000BASE-T, Supported network protocols: SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP,.... Chassis type: Tower, Cooling type: Active, Product colour: Black





Storage		Design	
Storage drive sizes supported	M.2, Serial ATA III 2.5,3.5" 2	Built-in display Cable lock slot Cable lock slot type Built-in speaker(s)	X √ Kensington X
RAID levels	0, 1, 5, 6, 10, JBOD	Performance	
Online RAID migration Online RAID expansion Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported *		Type * Device class * Backup function * Backup features Multilingual support Noise level Card reader integrated Management protocols	NAS Home & Home Office Cloud, iSCSI LUN 22.9 dB SNMP
Installed storage drive type *	HDD	Security algorithms Access Control List (ACL)	AES ✓
Supported storage drive types *	HDD & SSD	Reset button	V
Processor		On/off switch	<i>'</i>
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores	AMD AMD Ryzen R1600 2.6 GHz 3.1 GHz 2	Built-in UPnP AV media server Built-in FTP server Browser supported Hot spare Software	✓ ✓ Google Chrome, Firefox, Microsoft Edge, Safari ✓
Memory		Operating system installed *	DiskStation Manager
Internal memory type Maximum RAM supported	DDR4L 32 GB	Operating system version Server operating systems supported	7.1.1 Windows Server 2016, Windows
Memory slots	2	Server operating systems supported	Server 2019
Internal memory * ECC	4 GB	Power	
Network	*	Power supply location Power supply unit (PSU) capacity	External 100 W
	,	Number of power supply units	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Ethernet LAN * Ethernet LAN data rates	10,100,1000 Mbit/s	Redundant power supply (RPS) support	×
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T	Power consumption (typical)	35.51 W
iSCSI support Wake-on-LAN ready	1	Power consumption (HDD standby) AC input voltage	11.52 W 100 - 240 V

Network		Power	
Supported network protocols	SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP, SNMP, LDAP, CalDAV	AC input frequency	50 / 60 Hz
		Weight & dimensions	
		Width *	199 mm
Link aggregation	√	Depth *	223 mm
Ports & interfaces		Height *	166 mm
USB port *	✓	Weight	2.34 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Packaging content	
eSATA ports quantity Ethernet LAN (RJ-45) ports * PCI Express x2 (Gen 3.x) slots	1 2 1	External power adapter Cables included Power cables quantity	✓ AC, LAN (RJ-45) 1
Design		Technical details	
Chassis type * Cooling type * Product colour	Tower Active Black 2 fan(s) 9.2 cm ✓	Sustainability compliance Sustainability certificates Compliance certificates	✓ CE, RoHS CE, RoHS
Number of fans		Operational conditions	
Fan diameter Drive bay locking LED indicators		Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 5 - 95% -20 - 60 °C
		Certificates	
		Certification	FCC BSMI VCCI RCM UKCA EAC CCC KC

