



LevelOne PoE Repeater, 802.3at/af PoE

Brand : LevelOne

Product code: POR-0101

Product name : PoE Repeater, 802.3at/af PoE



PoE Repeater, 1 x 10/100Base-TX RJ-45 PoE, 2.5W, IEEE 802.3/u/x/af/at

LevelOne PoE Repeater, 802.3at/af PoE:

For system integrators looking for a professional solution to help extend their PoE network, POR-0101 is the perfect accessory to increase your Power over Ethernet network performance. LevelOne POR-0101, a 1-Port PoE Repeater requiring neither configuration nor electrical power, is an innovative transmitter to pass on both data and power extend to another 100 meters. The delivery though one PoE port and one non-PoE port are adequate to extend network devices such as WLAN Access Points, Network Cameras and other appliances with high-speed to the network for greater deployment flexibility.



- High Power Midspan PoE compliant to simplify deployment and installation
- 10/100Mbps wire speed transmission and reception
- Forwards Power over Ethernet to remote device
- Extends PoE connection for another 100 meters
- Simple Plug and Play installation, no additional power supply required



Performance		Operational conditions	
Type *	Network repeater	Operating temperature (T-T)	0 - 50 °C
Maximum transfer distance *	100 m	Storage temperature (T-T)	-20 - 70 °C
Data transfer rate	100 Mbit/s	Operating relative humidity (H-H)	5 - 95%
Plug and Play	✓	Storage relative humidity (H-H)	5 - 95%
Network		Weight & dimensions	
Cabling technology	10/100Base-T(X)	Width	80 mm
Networking standards	IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Depth	70 mm
		Height	23 mm
		Weight	200 g
Ports & interfaces		Technical details	
Ethernet LAN (RJ-45) ports	2	Sustainability certificates	RoHS
Power over Ethernet (PoE) ports quantity	2	Compliance certificates	RoHS
Design		Packaging content	
Product colour	Black	Quick start guide	✓
Mounting type	Wall		
LED indicators	PoE, Power	Packaging data	
Country of origin	Taiwan	Package type	Box
Certification	FCC Part 15, Class B, CE	Package width	93 mm
		Package depth	43 mm
		Package height	140 mm
		Package weight	100 g
Power		Logistics data	
Power consumption (max)	2.5 W	Harmonized System (HS) code	85176990
Power over Ethernet (PoE)	✓		
Power over Ethernet (PoE) voltage range	46 - 57 V		



4015867191279

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.