QNAP TVS-672XT NAS Tower Intel® Core™ i3 i3-8100T 8 GB DDR4 60 TB HDD QNAP Turbo System Black

Brand : QNAP

Product code: TVS-672XT-I3-8G/60TB-IWPRO

Product name : TVS-672XT

Intel Core i3-8100T 3.1 GHz, DDR4 SODIMM, 4 GB Flash, Intel UHD Graphics 630, 6 x 3.5" SATA, 2 x M.2, 1 x 10GBASE-T RJ45, 1 x USB 3.0, 2 x Type-C USB 3.1 Gen2, 2 x Type-A USB 3.1 Gen2, 1 x HDMI 2.0, 250W

QNAP TVS-672XT. Type: NAS. Chassis type: Tower. Device class: Home & Home Office. Processor family: Intel® Core™ i3, Processor model: i3-8100T, Processor frequency: 3.1 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 60 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Storage		Design	
Supported storage drive interfaces Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration Online RAID expansion	M.2, Serial ATA III 2.5,3.5,M.2 2 4 0, 1, 5, 6, 10, 50, JBOD 4	Fan diameter 2 LED indicators Built-in display Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers	6 cm HDD, LAN, Status, USB ✓ ✓ Kensington ✓ 1
Hot-swap drive bays	1	Performance	
Supported file systems Storage drives installed *	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Type * Device class *	NAS Home & Home Office
Total installed storage capacity *	60 TB	Backup function *	1
Number of storage drives supported *		Backup features Buzzer	iSCSI LUN ✔
Installed storage drive type *	HDD	Multilingual support	4
Supported storage drive types *	HDD & SSD	Noise level	23.8 dB
Auto-rebuild	4	Snapshot	4
Bad block scan	4	Management protocols	SNMP 2/3
Disk roaming	1	Web-based management	4
Processor		Share folder access right management	<
Processor manufacturer * Processor generation Processor family * Processor model * Processor frequency * Processor cores Processor threads Processor cache Bus type Configurable TDP-down frequency CPU configuration (max) PCI Express configurations PCI Express slots version	Intel 8th gen Intel® Core™ i3 Intel® Core™ i3 i3-8100T 3.1 GHz 4 4 6 MB DMI3 2.4 GHz 1 1x16, 1x8+2x4, 2x8 3.0	Security algorithms Access Control List (ACL) Reset button On/off switch Built-in iTunes server Built-in FTP server Browser supported System log Hot spare S.M.A.R.T. support Share folder Universal Plug and Play (UPnP)	256-bit AES, FIPS 140-2, HTTPS, SSH
Processor cache type Processor code	Smart Cache SR3Y8	Software	•
Processor codename Processor lithography	Coffee Lake 14 nm	Operating system installed *	QNAP Turbo System

Processor		Software	
Processor operating modes	64-bit	Operating system version	4.4.0
Processor package size Processor socket Scalability Stepping System bus rate Tjunction Thermal Design Power (TDP) On-board graphics card model Maximum internal memory supported by processor Memory bandwidth supported by processor (max)	37.5 x 37.5 mm LGA 1151 (Socket H4) 1S B0 8 GT/s 82 °C 35 W Intel® UHD Graphics 630 64 GB 37.5 GB/s	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic,
Memory			Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7
Internal memory * Internal memory type Maximum RAM supported Memory slots	8 GB DDR4 32 GB 2	Linux operating systems supported	Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Memory form factor Flash memory	SO-DIMM 4000 MB	Linux operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X
Network			10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra,
Ethernet LAN * Ethernet LAN data rates	✓ 10,100,1000,1200,2500,5000,10000	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Ethernet LAN data rate supported (max) Wi-Fi	Mbit/s 10000 Mbit/s	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
DHCP client	4	Power	
DHCP server	4	Power supply unit (PSU) capacity	250 W
Jumbo frames support iSCSI support		AC input voltage	100 - 240 V
Wake-on-LAN ready	1	Weight & dimensions	
Supported network protocols	TCP/IP, IPv4, IPv6	Width *	264.3 mm
Link aggregation	4	Depth * Height *	279.6 mm 188.2 mm
Load balancing system Dynamic DNS (DDNS)		Packaging content	
WLAN adapter supported	4	Cables included	AC, LAN (RJ-45)
Ports & interfaces		Quick installation guide	✓
USB port *	∢	Processor special features	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Embedded options available	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Enhanced Intel SpeedStep Technology	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Execute Disable Bit	4
ports quantity		Idle States Intel 64	
HDMI ports quantity HDMI version	1 2.0	Intel Clear Video Technology	1
Ethernet LAN (RJ-45) ports *	3	Intel Enhanced Halt State	√
Thunderbolt 3 ports quantity	2	Intel Identity Protection Technology version	1.00
3.5 mm (1/8-inch) out	4	Intel Secure Key Technology version	1.00
Microphone in PCI Express x4 (Gen 3.x) slots	1	Intel Stable Image Platform Program	
Graphics	-	(SIPP) Intel Stable Image Platform Program (SIPP) version	0.00
On-board graphics card base frequency	350 MHz	Intel Trusted Execution Technology	×
On-board graphics card dynamic	1100 MHz	Intel TSX-NI	×
frequency (max)		Intel TSX-NI version	0.00
On-board graphics card DirectX version On-board graphics card OpenGL	12.0	Intel Virtualization Technology (VT- x) Intel Virtualization Technology for	1
version	4.5	Directed I/O (VT-d)	4

Graphics		Processor special features	
On-board graphics card ID Maximum on-board graphics card memory Number of displays supported (on-	0x3E91 64 GB	Intel VT-x with Extended Page Tables (EPT)	√
		Intel® AES New Instructions (Intel® AES-NI)	√
board graphics)	3	Intel [®] Clear Video HD Technology (Intel [®] CVT HD)	1
Design		Intel® Clear Video Technology for	
Chassis type * Cooling type *	Tower Active	Mobile Internet Devices (Intel CVT for MID)	4
Product colour Number of fans Fan diameter	Black 4 fan(s) 9.2 cm	Intel® Hyper Threading Technology (Intel® HT Technology)	×
		Intel® Identity Protection Technology (Intel® IPT)	∢
		Intel [®] InTru [™] 3D Technology	1
		Intel [®] OS Guard	1
		Intel [®] Quick Sync Video Technology	1
		Intel [®] Secure Key	1
		Intel [®] Smart Cache	1
		Intel® Turbo Boost Technology	×
		Maximum number of PCI Express lanes	16
		Thermal Monitoring Technologies	1
		Thermal solution specification	PCG 2015A
		Memory types supported by processor	DDR4-SDRAM
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Other features	
		Digital Living Network Alliance (DLNA) certified	✓
		Processor ARK ID	129944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.