QNAP TVS-672XT NAS Tower Intel® Core™ i3 i3-8100T 8 GB DDR4 24 TB HDD QNAP Turbo System Black

Brand : QNAP

Product code: TVS-672XT-I3-8G/24TB-REDPRO

Product name : TVS-672XT

Intel Core i3-8100T 3.1 GHz, DDR4 SODIMM, 4 GB Flash, Intel UHD Graphics 630, 6 x 3.5" SATA, 2 x M.2, 1 x 10GBASE-T RJ45, 1 x USB 3.0, 2 x Type-C USB 3.1 Gen2, 2 x Type-A USB 3.1 Gen2, 1 x HDMI 2.0, 250W

QNAP TVS-672XT. Type: NAS. Chassis type: Tower. Device class: Home & Home Office. Processor family: Intel® Core™ i3, Processor model: i3-8100T, Processor frequency: 3.1 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 24 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Gdlna



| Storage | | Design | |
|--|--|---|--|
| Supported storage drive interfaces Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration | M.2, Serial ATA III 2.5,3.5,M.2 2 ✓ 0, 1, 5, 6, 10, 50, JBOD | LED indicators Built-in display Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers | HDD, LAN, Status, USB ✓ ✓ Kensington ✓ 1 |
| Online RAID expansion | 1 | Performance | |
| Hot-swap drive bays | 1 | Type * | NAS |
| Supported file systems | FAT32, HFS+, NTFS, exFAT, ext3, ext4 | Device class * | Home & Home Office |
| Storage drives installed * | 1 | Backup function * | 4 |
| Total installed storage capacity st | 24 TB | Backup features | ISCSI LUN |
| Number of storage drives supported * | 6 | Buzzer Multilingual support | 4 |
| Installed storage drive type * | HDD | Noise level | 23.8 dB |
| Supported storage drive types * | HDD & SSD | Snapshot | 1 |
| Auto-rebuild | 4 | Management protocols | SNMP 2/3 |
| Bad block scan | 1 | Web-based management | 4 |
| Disk roaming | √ | Share folder access right management | 4 |
| Processor | | Security algorithms | 256-bit AES, FIPS 140-2, HTTPS, SSH |
| Processor manufacturer * | Intel | Access Control List (ACL) | 4 |
| Processor generation | 8th gen Intel® Core™ i3 | Reset button | < |
| Processor family * | Intel® Core™ i3 | On/off switch | ✓ |
| Processor model * | i3-8100T | Built-in iTunes server | √ |
| Processor frequency * | 3.1 GHz | Built-in FTP server | √ |
| Processor cores Processor threads Processor cache | 4 4 6 MB | Browser supported | Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10, Mozilla Firefox |
| | DMI3 | System log | 1 |
| Bus type | 2.4 GHz | Hot spare | |
| Configurable TDP-down frequency CPU configuration (max) | 1 | S.M.A.R.T. support | 1 |
| ECC supported by processor | 1 | Share folder | CIFS/SMB |
| PCI Express configurations | 1x16, 1x8+2x4, 2x8 | Universal Plug and Play (UPnP) | 1 |
| PCI Express slots version | 3.0 | Software | |
| Processor cache type | Smart Cache | | |
| Processor code Processor code | SR3Y8 Coffee Lake | Operating system installed * Operating system version | QNAP Turbo System 4.4.0 |

| Processor | | Software | |
|---|--|--|--|
| Processor lithography | 14 nm | Solution | Windows 10, Windows 10 |
| Processor intriography Processor operating modes Processor package size Processor socket Scalability Stepping System bus rate Tjunction Thermal Design Power (TDP) On-board graphics card model Maximum internal memory supported by processor Memory bandwidth supported by processor (max) Memory | 64-bit 37.5 x 37.5 mm LGA 1151 (Socket H4) 1S B0 8 GT/s 82 °C 35 W Intel® UHD Graphics 630 64 GB 37.5 GB/s | Windows operating systems supported | Kindows 10, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Education Windows 10 Enterprise, K64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows |
| Internal memory * | 8 GB | | 8 Pro, Windows 8 Pro x64, Windows |
| Internal memory type Maximum RAM supported Memory slots | DDR4 32 GB 2 | Linux operating systems supported | 8 x64 ✓ Mac OS X 10.10 Yosemite, Mac OS X |
| Memory form factor Flash memory Network | SO-DIMM 4000 MB | Mac operating systems supported | 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks |
| Ethernet LAN * | 1 | | Windows Server 2003, Windows |
| Ethernet LAN data rates Ethernet LAN data rate supported | 10,100,1000,1200,2500,5000,10000 Mbit/s | Server operating systems supported | Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016 |
| (max) | 10000 Mbit/s | Power | |
| Wi-Fi | × | Power supply unit (PSU) capacity | 250 W |
| DHCP client | 4 | AC input voltage | 100 - 240 V |
| DHCP server Jumbo frames support | | Fan voltage | 12 V |
| iSCSI support | 4 | Weight & dimensions | |
| Wake-on-LAN ready | 4 | Width * | 264.3 mm |
| Supported network protocols | TCP/IP, IPv4, IPv6 | Depth * | 279.6 mm |
| Link aggregation | 1 | Height * | 188.2 mm |
| Load balancing system Dynamic DNS (DDNS) | | Packaging content | |
| WLAN adapter supported | 1 | Cables included Quick installation guide | AC, LAN (RJ-45) |
| Ports & interfaces | | Processor special features | • |
| USB port * | 1 | Embedded options available | 1 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 | Enhanced Intel SpeedStep Technology | 1 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity | 2 | Execute Disable Bit | ∢ |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C | 2 | Idle States | 4 |
| ports quantity | | Intel 64 | |
| HDMI ports quantity | 1 | Intel Clear Video Technology Intel Enhanced Halt State | × √ |
| HDMI version Ethernet LAN (RJ-45) ports * | 2.0 3 | Intel Identity Protection Technology | 1.00 |
| Thunderbolt 3 ports quantity | 2 | version | 1.00 |
| 3.5 mm (1/8-inch) out | √ | Intel Secure Key Technology version | |
| Microphone in | V | Intel Stable Image Platform Program (SIPP) | |
| PCI Express x4 (Gen 3.x) slots Graphics | 1 | Intel Stable Image Platform Program (SIPP) version | 0.00 |
| On-board graphics card base | | Intel Trusted Execution Technology | × |
| frequency | 350 MHz | Intel TSX-NI | × |
| On-board graphics card dynamic frequency (max) | 1100 MHz | Intel TSX-NI version Intel Virtualization Technology (VT- x) | 0.00 |
| On-board graphics card DirectX version | 12.0 | Intel Virtualization Technology for Directed I/O (VT-d) | 4 |

| Graphics | | Processor special features | |
|--|----------------------|--|------------|
| On-board graphics card OpenGL version | 4.5 | Intel VT-x with Extended Page Tables (EPT) | 4 |
| On-board graphics card ID Maximum on-board graphics card memory Number of displays supported (on- | 0x3E91 64 GB 3 | Intel® AES New Instructions (Intel® AES-NI) | 1 |
| | | Intel® Clear Video HD Technology (Intel® CVT HD) Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT | , |
| | | | v |
| board graphics) | | | 1 |
| Design | | for MID) | |
| Chassis type * | Tower Active | Intel® Hyper Threading Technology (Intel® HT Technology) | × |
| Cooling type * | | Intel® Identity Protection | |
| Product colour | Black | Technology (Intel® IPT) | 1 |
| Number of fans | 4 fan(s) | Intel® InTru™ 3D Technology | 1 |
| Fan diameter | 9.2 cm 6 cm | Intel [®] OS Guard | 1 |
| Fan diameter 2 | | Intel® Quick Sync Video Technology | 1 |
| | | Intel® Secure Key | 1 |
| | | Intel [®] Smart Cache | 1 |
| | | Intel® Turbo Boost Technology | × |
| | | Maximum number of PCI Express lanes | 16 |
| | | Thermal Monitoring Technologies | 1 |
| | | Thermal solution specification | PCG 2015A |
| | | Memory channels supported by processor | Dual |
| | | Memory types supported by processor | DDR4-SDRAM |
| | | Operational conditions | |
| | | Operating temperature (T-T) | 0 - 40 °C |
| | | Other features | |
| | | Digital Living Network Alliance (DLNA) certified | 4 |

Processor ARK ID

129944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.