## QNAP

## QNAP TVS-672XT NAS Tower Intel® Core™ i3 i3-8100T 8 GB DDR4 72 TB HDD QNAP Turbo System Black

**Brand :** QNAP **Product code:** TVS-672XT-I3-8G/72TB-IW

**Product name:** TVS-672XT

Processor lithography

14 nm

Intel Core i3-8100T 3.1 GHz, DDR4 SODIMM, 4 GB Flash, Intel UHD Graphics 630, 6  $\times$  3.5" SATA, 2  $\times$  M.2, 1  $\times$  10GBASE-T RJ45, 1  $\times$  USB 3.0, 2  $\times$  Type-C USB 3.1 Gen2, 2  $\times$  Type-A USB 3.1 Gen2, 1  $\times$  HDMI 2.0, 250W

QNAP TVS-672XT. Type: NAS. Chassis type: Tower. Device class: Home & Home Office. Processor family: Intel® Core™ i3, Processor model: i3-8100T, Processor frequency: 3.1 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 72 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System









Storage		Design	
Supported storage drive interfaces Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration Online RAID expansion	M.2, Serial ATA III 2.5,3.5,M.2 2	Fan diameter 2 LED indicators Built-in display Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers	6 cm HDD, LAN, Status, USB
Hot-swap drive bays	✓	Performance	
Supported file systems Storage drives installed * Total installed storage capacity *	FAT32, HFS+, NTFS, exFAT, ext3, ext4  ✓ 72 TB	Type * Device class * Backup function * Backup features	NAS Home & Home Office ✓ iSCSI LUN
Number of storage drives supported * Installed storage drive type *	HDD	Buzzer Multilingual support	<b>✓</b>
Supported storage drive types * Auto-rebuild Bad block scan Disk roaming	HDD & SSD  ✓  ✓	Noise level Snapshot Management protocols Web-based management	23.8 dB  SNMP 2/3
Processor		Share folder access right	·
Processor manufacturer * Processor generation Processor family * Processor model * Processor frequency * Processor cores Processor threads Processor cache Bus type Configurable TDP-down frequency CPU configuration (max) PCI Express configurations PCI Express slots version	Intel 8th gen Intel® Core™ i3 Intel® Core™ i3 i3-8100T 3.1 GHz 4 4 6 MB DMI3 2.4 GHz 1 1x16, 1x8+2x4, 2x8 3.0	management Security algorithms Access Control List (ACL) Reset button On/off switch Built-in iTunes server Built-in FTP server  Browser supported  System log Hot spare S.M.A.R.T. support Share folder Universal Plug and Play (UPnP)	256-bit AES, FIPS 140-2, HTTPS, SSI    Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10, Mozilla Firefox    CIFS/SMB
Processor cache type Processor code	Smart Cache SR3Y8	Software	•
Processor codename	Coffee Lake	Operating system installed *	QNAP Turbo System

Ducasass		Coffman	
Processor	64 hit	Software	4.4.0
Processor operating modes Processor package size Processor socket Scalability Stepping System bus rate Tjunction Thermal Design Power (TDP) On-board graphics card model Maximum internal memory supported by processor Memory bandwidth supported by	64-bit 37.5 x 37.5 mm LGA 1151 (Socket H4) 1S B0 8 GT/s 82 °C 35 W Intel® UHD Graphics 630 64 GB 37.5 GB/s	Operating system version  Windows operating systems supported	4.4.0 Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7
processor (max)			Professional x64, Windows 7 Starter, Windows 7 Starter x64,
Memory Internal memory * Internal memory type Maximum RAM supported Memory slots	8 GB DDR4 32 GB 2		Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Memory form factor	SO-DIMM	Linux operating systems supported	✓ Man OC V 10 10 Varantita Man OC V
Flash memory	4000 MB		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12
Network  Ethernet LAN *	✓ 10,100,1000,1200,2500,5000,10000	Mac operating systems supported	Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Ethernet LAN data rates  Ethernet LAN data rate supported (max)  Wi-Fi	Mbit/s 10000 Mbit/s	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
DHCP client	✓	Power	
DHCP server Jumbo frames support	1	Power supply unit (PSU) capacity	250 W
iSCSI support	<b>4</b>	AC input voltage	100 - 240 V
Wake-on-LAN ready	✓	Weight & dimensions	
Supported network protocols	TCP/IP, IPv4, IPv6	Width * Depth *	264.3 mm 279.6 mm
Link aggregation Load balancing system	1	Height *	188.2 mm
Dynamic DNS (DDNS)	1	Packaging content	
WLAN adapter supported	✓	Cables included	AC, LAN (RJ-45)
Ports & interfaces		Quick installation guide	✓
USB port *	✓	Processor special features	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Embedded options available	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Enhanced Intel SpeedStep Technology  Figure 12 Picture	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Execute Disable Bit Idle States	<b>V</b>
HDMI ports quantity	1	Intel 64	<b>√</b>
HDMI version	2.0	Intel Clear Video Technology	✓
Ethernet LAN (RJ-45) ports *	3	Intel Enhanced Halt State	✓
Thunderbolt 3 ports quantity	2	Intel Identity Protection Technology version	1.00
3.5 mm (1/8-inch) out Microphone in	1	Intel Secure Key Technology version	
PCI Express x4 (Gen 3.x) slots	1	Intel Stable Image Platform Program (SIPP)	×
Graphics		Intel Stable Image Platform Program	0.00
On-board graphics card base	350 MHz	(SIPP) version Intel Trusted Execution Technology	×
frequency On-board graphics card dynamic	1100 MH-	Intel TSX-NI	x
frequency (max)	1100 MHz	Intel TSX-NI version	0.00
On-board graphics card DirectX version	12.0	Intel Virtualization Technology (VT-x)	✓
On-board graphics card OpenGL version	4.5	Intel Virtualization Technology for Directed I/O (VT-d)	1

Graphics		Processor special features	
On-board graphics card ID  Maximum on-board graphics card memory  Number of displays supported (on-	0x3E91 64 GB	Intel VT-x with Extended Page Tables (EPT)	✓
		Intel® AES New Instructions (Intel® AES-NI)	✓
board graphics)	3	Intel® Clear Video HD Technology (Intel® CVT HD)	<b>√</b>
Design		Intel® Clear Video Technology for	
Chassis type * Cooling type * Product colour Number of fans Fan diameter	Tower Active Black 4 fan(s) 9.2 cm	Mobile Internet Devices (Intel CVT for MID)	✓
		Intel® Hyper Threading Technology (Intel® HT Technology)	×
		Intel® Identity Protection Technology (Intel® IPT)	1
		Intel® InTru™ 3D Technology	✓
		Intel® OS Guard	✓
		Intel® Quick Sync Video Technology	✓
		Intel® Secure Key	✓
		Intel® Smart Cache	✓
		Intel® Turbo Boost Technology	×
		Maximum number of PCI Express lanes	16
		Thermal Monitoring Technologies	✓
		Thermal solution specification	PCG 2015A
		Memory types supported by processor	DDR4-SDRAM
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Other features	
		Digital Living Network Alliance (DLNA) certified	1
		Processor ARK ID	129944

