QNAP TVS-H474 NAS Tower Intel® Pentium® G7400 8 GB DDR4 48 TB QuTS hero Black

Brand : QNAP

Product code: TVS-H474-PT-8G/48TB-EXOS

Product name : TVS-H474

Intel Pentium Gold G7400 3.7 GHz, Intel UHD Graphics 710, 8 GB SODIMM DDR4, 5GB Flash, 4 x 3.5", 2 x M.2, RJ-45, USB, HDMI

QNAP TVS-H474. Type: NAS. Chassis type: Tower. Device class: Small & Medium Business. Processor family: Intel® Pentium®, Processor model: G7400, Processor frequency: 3.7 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 48 TB. Operating system installed: QuTS hero







Storage		Design	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Cable lock slot type	Kensington
Storage drive sizes supported 2.5,3.5"	Performance		
Number of M.2 (M & B) slots RAID support * RAID levels RAID rebuild Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives supported *	2 ✓ 1, 5, 6, 10, 50, 60, JBOD ✓ FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4 ✓ 48 TB 4	Type * Device class * Backup function * Backup features Buzzer Multilingual support Number of users Snapshot Management protocols Web-based management	NAS Small & Medium Business Cloud, iSCSI LUN 16000 user(s) SMB/CIFS, AFP, NFS
Installed storage drive type * Supported storage drive types * Disk roaming	¥ HDD & SSD ✓	Share folder access right management Security algorithms Access Control List (ACL)	SNMPv2, SNMPv3, SSH
Processor		Reset button	v V
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor cores Processor cores Processor cache L2 cache Bus type CPU configuration (max) On-board graphics card model	Intel Intel® Pentium® G7400 3.7 GHz 2 4 6 MB 2.5 MB DMI4 1 Intel UHD Graphics 710	On/off switch Built-in FTP server Browser supported System log Hot spare Disk scan S.M.A.R.T. support Share folder USB copy function	Apple Safari (latest version), Google Chrome (latest version), Microsoft Edge (latest version), Mozilla Firefox (latest version)
Memory		Software	
Internal memory * Internal memory type Maximum RAM supported Memory slots Memory form factor Flash memory	8 GB DDR4 64 GB 2 SO-DIMM 5000 MB	Operating system installed * Operating system version	QuTS hero h5.0.1

Network		Software	
Ethernet LAN * Ethernet LAN data rates DHCP server Jumbo frames support iSCSI support Wake-on-LAN ready Supported network protocols Dynamic DNS (DDNS)	✓ 10,100,1000,2500 Mbit/s ✓ ✓ IPv4, IPv6 ✓		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7,
Ports & interfaces USB port * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity HDMI ports quantity HDMI version Ethernet LAN (RJ-45) ports * Number of SATA III connectors	✓ 2 1 1 1.4b 2 4	Windows operating systems supported	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Concurrent connections PCI Express x2 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots	700 2 1	Linux operating systems supported	CentOS 7.0, Ubuntu 14.04, openSUSE 12.1, openSUSE 12.2 Mac OS X 10.10 Yosemite, Mac OS X
Design Chassis type * Cooling type * Product colour	Tower Active Black	Mac operating systems supported	10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Number of fans Fan diameter Fan diameter 2	2 fan(s) 12 cm 6 cm	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
LED indicators	M.2, HDD, LAN, Status, USB	Other operating systems supported	IBM AIX 7.1, Solaris 10
Built-in display		Power	
Display type Cable lock slot	LCD ✓	Power supply location Power supply unit (PSU) capacity Number of power supply units Power consumption (typical) Power consumption (sleep) AC input voltage	Built-in 250 W 1 78.574 W 34.906 W 100 - 240 V
		Weight & dimensions	
		Width * Depth * Height *	199.3 mm 280.2 mm 188.2 mm
		Packaging content	
		Cables included Power cables quantity Number of screws Drive tray key included	AC, LAN (RJ-45) 1 28
		Processor special features	
		Embedded options available Enhanced Intel SpeedStep Technology Execute Disable Bit Idle States Intel 64 Intel Virtualization Technology (VT- x) Intel Virtualization Technology for Directed I/O (VT-d) Intel VT-x with Extended Page Tables (EPT)	× 1 1 1 1 1 1 1

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 95%
Storage temperature (T-T)	-20 - 70 °C

Publication date: 08-AUG-2024. Prints or copies of Information are only valid on the printed Publication date

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.