## QNAP TVS-672XT NAS Tower Intel® Core™ i3 i3-8100T 8 GB DDR4 60 TB HDD QNAP Turbo System Black

Brand : QNAP

Product code: TVS-672XT-I3-8G-60TB-IW

Product name : TVS-672XT

Intel Core i3-8100T 3.1 GHz, DDR4 SODIMM, 4 GB Flash, Intel UHD Graphics 630, 6 x 3.5" SATA, 2 x M.2, 1 x 10GBASE-T RJ45, 1 x USB 3.0, 2 x Type-C USB 3.1 Gen2, 2 x Type-A USB 3.1 Gen2, 1 x HDMI 2.0, 250W

QNAP TVS-672XT. Type: NAS. Chassis type: Tower. Device class: Home & Home Office. Processor family: Intel® Core™ i3, Processor model: i3-8100T, Processor frequency: 3.1 GHz. Internal memory: 8 GB, Internal memory type: DDR4. Total installed storage capacity: 60 TB, Installed storage drive type: HDD. Operating system installed: QNAP Turbo System





Gdlna



Storage		Design	
Supported storage drive interfaces Storage drive sizes supported Number of M.2 (M & B) slots RAID support * RAID levels Online RAID migration	M.2, Serial ATA III 2.5,3.5,M.2 2 ✓ 0, 1, 5, 6, 10, 50, JBOD ✓	LED indicators Built-in display Cable lock slot Cable lock slot type Built-in speaker(s) Number of built-in speakers	HDD, LAN, Status, USB   Kensington  1
Online RAID expansion	1	Performance	
Hot-swap drive bays	1	Type *	NAS
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3, ext4	Device class *	Home & Home Office
Storage drives installed *	1	Backup function *	<b>v</b>
Total installed storage capacity $*$	60 TB	Backup features	ISCSI LUN
Number of storage drives supported *	6	Buzzer Multilingual support	4
Installed storage drive type *	HDD	Noise level	23.8 dB
Supported storage drive types *	HDD & SSD	Snapshot	4
Auto-rebuild	1	Management protocols	SNMP 2/3
Bad block scan	1	Web-based management	4
Disk roaming	4	Share folder access right management	4
Processor		Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH
Processor manufacturer *	Intel	Access Control List (ACL)	4
Processor generation	8th gen Intel® Core™ i3	Reset button	4
Processor family *	Intel® Core™ i3	On/off switch	4
Processor model *	i3-8100T	Built-in iTunes server	4
Processor frequency *	3.1 GHz	Built-in FTP server	4
Processor cores Processor threads	4 4	Browser supported	Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10, Mozilla Firefox
Processor cache	6 MB	System log	
Bus type	DMI3	Hot spare	
Configurable TDP-down frequency	2.4 GHz	S.M.A.R.T. support	
CPU configuration (max)	1	Share folder	CIFS/SMB
ECC supported by processor	✓ 1v16 1v0 + 2v4 2v0	Universal Plug and Play (UPnP)	<ul> <li>✓</li> </ul>
PCI Express configurations	1x16, 1x8+2x4, 2x8		•
PCI Express slots version	3.0 Smort Cacha	Software	
Processor cache type Processor code	Smart Cache SR3Y8	Operating system installed * Operating system version	QNAP Turbo System 4.4.0
Processor codename	Coffee Lake		

Processor		Software	
Processor lithography	14 nm	Solution	Windows 10, Windows 10
Processor intriography Processor operating modes Processor package size Processor socket Scalability Stepping System bus rate Tjunction Thermal Design Power (TDP) On-board graphics card model Maximum internal memory supported by processor Memory bandwidth supported by processor (max) Memory	64-bit 37.5 x 37.5 mm LGA 1151 (Socket H4) 1S B0 8 GT/s 82 °C 35 W Intel® UHD Graphics 630 64 GB 37.5 GB/s	Windows operating systems supported	Kindows 10, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Education Windows 10 Enterprise, K64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows
Internal memory *	8 GB		8 Pro, Windows 8 Pro x64, Windows
Internal memory type Maximum RAM supported Memory slots	DDR4 32 GB 2	Linux operating systems supported	8 x64 ✓ Mac OS X 10.10 Yosemite, Mac OS X
Memory form factor Flash memory <b>Network</b>	SO-DIMM 4000 MB	Mac operating systems supported	10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Ethernet LAN *	1		Windows Server 2003, Windows
Ethernet LAN data rates Ethernet LAN data rate supported	10,100,1000,1200,2500,5000,10000 Mbit/s	Server operating systems supported	Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
(max)	10000 Mbit/s	Power	
Wi-Fi	×	Power supply unit (PSU) capacity	250 W
DHCP client	4	AC input voltage	100 - 240 V
DHCP server Jumbo frames support		Fan voltage	12 V
iSCSI support	4	Weight & dimensions	
Wake-on-LAN ready	4	Width *	264.3 mm
Supported network protocols	TCP/IP, IPv4, IPv6	Depth *	279.6 mm
Link aggregation	1	Height *	188.2 mm
Load balancing system Dynamic DNS (DDNS)		Packaging content	
WLAN adapter supported	1	Cables included Quick installation guide	AC, LAN (RJ-45)
Ports & interfaces		Processor special features	•
USB port *	1	Embedded options available	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Enhanced Intel SpeedStep Technology	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Execute Disable Bit	∢
USB 3.2 Gen 2 (3.1 Gen 2) Type-C	2	Idle States	4
ports quantity		Intel 64	
HDMI ports quantity	1	Intel Clear Video Technology Intel Enhanced Halt State	× √
HDMI version Ethernet LAN (RJ-45) ports *	2.0 3	Intel Identity Protection Technology	1.00
Thunderbolt 3 ports quantity	2	version	1.00
3.5 mm (1/8-inch) out	√	Intel Secure Key Technology version	
Microphone in	V	Intel Stable Image Platform Program (SIPP)	
PCI Express x4 (Gen 3.x) slots Graphics	1	Intel Stable Image Platform Program (SIPP) version	0.00
On-board graphics card base		Intel Trusted Execution Technology	×
frequency	350 MHz	Intel TSX-NI	×
On-board graphics card dynamic frequency (max)	1100 MHz	Intel TSX-NI version Intel Virtualization Technology (VT- x)	0.00
On-board graphics card DirectX version	12.0	<ul> <li>Intel Virtualization Technology for</li> <li>Directed I/O (VT-d)</li> </ul>	4

Graphics		Processor special features	
On-board graphics card OpenGL version	4.5	Intel VT-x with Extended Page Tables (EPT)	4
On-board graphics card ID Maximum on-board graphics card memory Number of displays supported (on-	0x3E91 64 GB 3	Intel® AES New Instructions (Intel® AES-NI)	1
		Intel® Clear Video HD Technology (Intel® CVT HD) Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT	,
			v
board graphics)			1
Design		for MID)	
Chassis type *	Tower Active	Intel® Hyper Threading Technology (Intel® HT Technology)	×
Cooling type *		Intel® Identity Protection	
Product colour	Black	Technology (Intel® IPT)	1
Number of fans	4 fan(s)	Intel® InTru <sup>™</sup> 3D Technology	1
Fan diameter	9.2 cm 6 cm	Intel <sup>®</sup> OS Guard	1
Fan diameter 2		Intel® Quick Sync Video Technology	1
		Intel® Secure Key	1
		Intel <sup>®</sup> Smart Cache	1
		Intel® Turbo Boost Technology	×
		Maximum number of PCI Express lanes	16
		Thermal Monitoring Technologies	1
		Thermal solution specification	PCG 2015A
		Memory channels supported by processor	Dual
		Memory types supported by processor	DDR4-SDRAM
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Other features	
		Digital Living Network Alliance (DLNA) certified	4

Processor ARK ID

129944

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.