



QNAP TS-h686 NAS Tower Ethernet LAN Black D-1602



Brand : QNAP

Product code: TS-H686-D1602-8G/4TB-GOLD

Product name : TS-h686

Intel Xeon D-1602 (2x 2.5GHz), 8GB DDR4, 5GB Flash, 4x 2.5"/3.5" + 2x 2.5", 2x M.2, 4x 2.5G RJ-45, 3x USB 3.2 Gen1
 QNAP TS-h686. Total installed storage capacity: 4 TB, Installed storage drive type: HDD, Supported storage drive types: HDD & SSD. Processor family: Intel® Xeon® D, Processor manufacturer: Intel, Processor model: D-1602. Internal memory: 8 GB, Internal memory type: DDR4, Maximum RAM supported: 128 GB. Ethernet LAN data rates: 10,100,1000,2500 Mbit/s. Chassis type: Tower, Cooling type: Active, Product colour: Black

| Storage | | Performance | |
|--------------------------------------|---|-------------------------------------|---|
| Storage drive capacity * | 4 TB | Backup function * | ✓ |
| Storage drive interface * | Serial ATA II, Serial ATA III | Backup features | Cloud, iSCSI LUN |
| Supported storage drive interfaces | M.2, Serial ATA II, Serial ATA III | Buzzer | ✓ |
| Storage drive sizes supported | 2.5,3.5,M.2 | Multilingual support | ✓ |
| Number of M.2 (M & B) slots | 2 | Noise level | 18.6 dB |
| RAID support * | ✓ | Snapshot | ✓ |
| RAID levels | 0, 1, 5, 6, 10, 50, 60, JBOD | Management protocols | SNMP 2/3 |
| Online RAID migration | ✓ | Web-based management | ✓ |
| Online RAID expansion | ✓ | Security algorithms | 256-bit AES, AES, FIPS 140-2, HTTPS, SSH, SSL/TLS |
| RAID rebuild | ✓ | Access Control List (ACL) | ✓ |
| Hot-swap drive bays | ✓ | Reset button | ✓ |
| Supported file systems | FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4 | On/off switch | ✓ |
| Storage drives installed * | ✓ | Built-in FTP server | ✓ |
| Total installed storage capacity * | 4 TB | Browser supported | Safari, Chrome, Internet Explorer, Firefox |
| Number of storage drives installed * | 4 | System log | ✓ |
| Number of storage drives supported * | 6 | Hot spare | ✓ |
| Installed storage drive type * | HDD | S.M.A.R.T. support | ✓ |
| Supported storage drive types * | HDD & SSD | Share folder | CIFS/SMB |
| Bad block scan | ✓ | Universal Plug and Play (UPnP) | ✓ |
| Disk roaming | ✓ | USB copy function | ✓ |
| Processor | | Software | |
| Processor manufacturer * | Intel | Operating system installed * | QuTS hero |
| Processor family * | Intel® Xeon® D | Operating system version | h5.0.0 |
| Processor model * | D-1602 | Windows operating systems supported | Windows 10, Windows 7, Windows 8 |
| Processor frequency * | 2.5 GHz | Linux operating systems supported | ✓ |
| Processor boost frequency | 3.2 GHz | Mac operating systems supported | ✓ |
| Processor cores | 2 | Server operating systems supported | Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |
| Processor threads | 4 | | |
| Processor cache | 3 MB | | |
| CPU configuration (max) | 1 | | |
| Memory | | Power | |
| Internal memory type | DDR4 | Power supply location | Built-in |
| Maximum RAM supported | 128 GB | Power supply unit (PSU) capacity | 250 W |
| Memory slots | 4 | Number of power supply units | 1 |
| Internal memory * | 8 GB | Power consumption (typical) | 61.115 W |
| Memory form factor | UDIMM | AC input voltage | 100 - 240 V |
| ECC | ✓ | Fan voltage | 12 V |
| Flash memory | 5000 MB | | |
| Network | | Weight & dimensions | |
| Ethernet LAN * | ✓ | Width * | 224.9 mm |
| Ethernet LAN data rates | 10,100,1000,2500 Mbit/s | Depth * | 319.8 mm |
| DHCP client | ✓ | Height * | 231.9 mm |

| Network | | Packaging content | |
|---|----------------------------|---|-----------------|
| DHCP server | ✓ | Cables included | AC, LAN (RJ-45) |
| Jumbo frames support | ✓ | Power cables quantity | 1 |
| iSCSI support | ✓ | Number of screws | 24 |
| Wake-on-LAN ready | ✓ | Drive tray key included | ✓ |
| Dynamic DNS (DDNS) | ✓ | Processor special features | |
| Ports & interfaces | | Embedded options available | ✗ |
| USB port * | ✓ | Enhanced Intel SpeedStep Technology | ✓ |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 3 | Execute Disable Bit | ✓ |
| Ethernet LAN (RJ-45) ports * | 4 | Idle States | ✓ |
| PCI Express x8 (Gen 3.x) slots | 2 | Intel 64 | ✓ |
| Design | | Intel QuickAssist Technology | ✗ |
| Chassis type * | Tower | Intel Trusted Execution Technology | ✓ |
| Cooling type * | Active | Intel TSX-NI | ✓ |
| Product colour | Black | Intel Virtualization Technology (VT-x) | ✓ |
| Number of fans | 2 fan(s) | Intel Virtualization Technology for Directed I/O (VT-d) | ✓ |
| Fan diameter | 9 cm | Intel VT-x with Extended Page Tables (EPT) | ✓ |
| Fan diameter 2 | 9.7 cm | Operational conditions | |
| LED indicators | HDD, LAN, SSD, Status, USB | Operating temperature (T-T) | 0 - 40 °C |
| Built-in display | ✗ | Operating relative humidity (H-H) | 5 - 95% |
| Cable lock slot | ✓ | Storage temperature (T-T) | -20 - 70 °C |
| Cable lock slot type | Kensington | Storage relative humidity (H-H) | 5 - 95% |
| Performance | | Logistics data | |
| Type * | NAS | Harmonized System (HS) code | 84714100 |
| Device class * | Home & Home Office | | |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-MAR-2024. Prints or copies of Information are only valid on the printed Publication date