QNAP

QNAP TS-870 Pro NAS Tower Intel® Core™ i3 i3-3220 2.05 TB DDR3 0 TB Black

Brand : QNAP Product code: TS-870 PRO

Product name: TS-870 Pro

Intel Core i3-3220 (3M Cache, 3.30 GHz), 2GB DDR3, 8 x 2.5"/3.5" SATA 6 Gbps, max 32TB, Intel HD 2500, 2 x USB 3.0, 3 x USB 2.0, 2 x eSATA, HDMI, 350 W, 7400 g, Black QNAP TS-870 Pro. Type: NAS. Chassis type: Tower. Processor family: Intel® Core™ i3, Processor model: i3-3220, Processor frequency: 3.3 GHz. Internal memory: 2.05 TB, Internal memory type: DDR3. Total installed storage capacity: 0 TB





Storage		Design	
Storage drive capacity * Storage drive interface * Storage drive size Maximum supported storage capacity RAID support * RAID levels Hot-swap drive bays Storage drives installed * Total installed storage capacity * Number of storage drives supported	0 GB Serial ATA 2.5/3.5" 32 TB ✓ 0, 1, 5, 6, 10, JBOD ✓ × 0 TB	Cooling type * Product colour Number of fans Fan diameter Drive bay locking Built-in display Display type Performance Type * Number of users	Active Black 2 fan(s) 12 cm LCD NAS 4000 user(s)
*	8	Power	
Supported storage drive types * Processor	HDD	Power supply unit (PSU) capacity Number of power supply units	350 W 1
Processor generation 3rr Processor family * Int Processor model * i3- Processor frequency * 3 Processor cores 2	sor generation 3rd gen Intel® Core™ i3 sor family * Intel® Core™ i3 sor model * i3-3220 sor frequency * 3.3 GHz sor cores 2 sor threads 4 sor cache 3 MB he 3 MB DMI	Weight & dimensions Width * Depth * Height * Weight Package weight	298.2 mm 235.4 mm 185.2 mm 7.4 kg 8.7 kg
Processor threads Processor cache		Processor special features	
L3 cache Bus type CPU configuration (max)		Embedded options available Enhanced Intel SpeedStep Technology	1
CPU multiplier (bus/core ratio)	33	Execute Disable Bit	✓
ECC supported by processor PCI Express configurations	✓ 1x16, 2x8	Idle States Intel 64	1
PCI Express slots version Processor cache type	2.0 Smart Cache	Intel Enhanced Halt State	•
Processor codename Processor lithography	Ivy Bridge 22 nm	Intel Fast Memory Access Intel FDI Technology	<i>*</i>
Processor operating modes Processor package size	64-bit 37.5 x 37.5 mm	Intel Flex Memory Access Intel Identity Protection Technology version	1.00
Processor series Processor socket	Intel Core i3-3200 Desktop Series LGA 1155 (Socket H2)	Intel Secure Key Technology version	0.00

Processor		Processor special features	
System bus rate	5 GT/s	Intel Trusted Execution Technology	x
Tcase	65.3 °C	Intel Virtualization Technology (VT-	✓
Thermal Design Power (TDP)	55 W	x)	
On-board graphics card model Maximum internal memory	Intel® HD Graphics 2500	Intel Virtualization Technology for Directed I/O (VT-d)	×
supported by processor	32 GB	Intel VT-x with Extended Page Tables (EPT)	✓
Memory bandwidth supported by processor (max)	25.6 GB/s	Intel® AES New Instructions (Intel® AES-NI)	×
Conflict-Free processor	•	Intel® Anti-Theft Technology	/
Memory		(Intel® AT)	•
Internal memory * Internal memory type	2.05 TB DDR3	Intel® Clear Video HD Technology (Intel® CVT HD)	✓
Network		Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Ethernet LAN *	✓	Intel® Identity Protection Technology (Intel® IPT)	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Intel® Insider™	✓
Wi-Fi	×	Intel® InTru™ 3D Technology	/
Wake-on-LAN ready	*	Intel® My WiFi Technology (Intel®	/
Ports & interfaces		MWT)	
USB 2.0 ports quantity	3	Intel® Quick Sync Video Technology	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Intel® Secure Key	×
ports quantity eSATA ports quantity	2	Intel® Turbo Boost Technology	×
HDMI ports quantity	1	Intel® Wireless Display (Intel® WiDi)	✓
Ethernet LAN (RJ-45) ports *	2	Thermal Monitoring Technologies	✓
Graphics		Thermal solution specification	PCG 2011C
On-board graphics card base frequency	650 MHz	Memory channels supported by processor	Dual
On-board graphics card dynamic frequency (max)	1050 MHz	Memory types supported by processor	DDR3-SDRAM
On-board graphics card ID	0x152	Other features	
Number of displays supported (on- board graphics)	3	Processor ARK ID	65693
Design			
Chassis type *	Tower		





5050914756024

4712511124729

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.