



# GEU-1621 16 Port GE Switch mit internem Netzteil

## Product Images



## Short Description

1. Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)
2. 10/100/1000Mbps wire speed transmission and reception
3. 10/100/1000Mbps wire speed transmission and reception
4. Supports 8K MAC address auto-learning and auto-aging
5. 9K jumbo frames to increase data transfer rates
6. 16 Gigabit Ethernet ports
7. 19-inch rackmount kit included
9. Minimize carbon footprint with advanced energy efficient technology (IEEE 802.3az)

## Description

---

The GEU-1621 is equipped with 16 Gigabit ports that lead you to a real Gigabit connections. Users are able to transfer large and high bandwidth-needed files faster, and hence get a real improvement of efficiency. Offers a fast and reliable network. The store-and-forward architecture filters errors and forwards packets in a non-blocking environment. Flow control ensures the correctness of data transmitting. The IEEE 802.3x and backpressure flow control mechanisms work respectively for full and half duplex modes. Power Saving Features The GEU-1621 supports IEEE 802.3az Energy Efficient Ethernet to provide power-saving benefits without compromising the performance. The switch automatically enters the sleep mode, if there is no link activity detected, using less energy than idling at full power. Easy Installation and Maintenance The switch supports Nway auto-negotiation protocol to detect the networking speed (10/100/1000 Mbps) and the duplex modes (Full/Half) automatically. Auto-MDI/MDI-X function eliminates the effort to use crossover cables. Diagnostic LEDs are provided to get real-time information of the connection status and network.

## Additional Information

Power Saving	YES
Power Consumption	10.1W
Packet forwarding rate	1488000pps
Transmission Method	Store- froward
Power input	100-240VAC 50/60Hz
Max. operating humidity (%)	90
Max. operating temperature (°C)	40
Max. storage humidity (%)	90
Max. storage temperature (°C)	70
Min. operating humidity (%)	10
Min. storage humidity (%)	5
Min. storage temperature (°C)	-40
Backplane (Gbps)	32Gbps
Indicators	Power, LINK/ACT/Speed
Jumbo frame (KB)	9
MAC address table	8K
Flash memory size	4096
Power switch	No
Processor	RTL8382L
Standards	IEEE 802.3i IEEE 802.3u IEEE 802.3ab IEEE 802.3x IEEE 802.3azIEEE 802.3i IEEE 802.3u IEEE 802.3ab IEEE 802.3x IEEE 802.3azIEEE 802.3i IEEE 802.3u IEEE 802.3ab IEEE 802.3x IEEE 802.3az
QIG language	DE, EN, ES, FR, IT, PT
Manual languages	EN
General features	16port10/100/1000Mbps
Product weight (kg)	2,6

Product breadth (mm)	280
Product depth (mm)	180
Product height (mm)	44
Color	Black
EAN	4015867164914
Model number	GEU-1621

