

615512 Cat.6 S/FTP Patch Cable, 1.5m , White

Product Images



Short Description

- 4 x 2 AWG 28/7
- 250MHz performance Bandwidth
- Suitable for PoE, PoE+
- Stranded bare copper conductor
- Foil and braid shield Reduces EMI/RFI interference
- PIMF (Pairs in metal Foil)
- Molded boot with Strain relief
- RoHS compliant
- Low Smoke Zero Halogen (LSZH/LSOH)
- Compliant with ISO/IEC 11801 and EN 50173

Description

The equip® Cat.6 S/FTP Patch Cord is composed of high-quality materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6 cable is able to deliver ultrahigh and error-free performance in the most demanding network environments.

Additional Information

Color	White
EAN	4015867234518
Model Number	615512
Flat cable	No
Shielded	Yes
Shielding	S/FTP
Cable Length	1.5m
Connector 1	RJ45 male
Connector 2	RJ45 male
Approval and Compliance	RoHS
Package Contents	Cat.6 S/FTP Patch Cable
Cable length	1.5m
Dimensions (W x D x H)	11 x 15 x 1500 mm
Product weight (kg)	0.0457
Category	Cat.6
Conductor material	Copper
Conductor size (AWG)	28AWG
Jacket material	LSZH

