


605664 Cat.6A Platinum S/FTP Patch Cable, 5.0m, Yellow

Product Images







Screened Category 6A ISO/IEC, EN & ANSI/TIA Communication Cable

Short Description

- 1. 4 x 2 AWG 26/7
- 2. 500MHz performance Bandwidth
- 3. Transmission: 10Gbit
- 4. Suitable for PoE, PoE+, PoE++
- 5. Stranded bare copper conductor
- 6. Foil and braid shield Reduces EMI/RFI interference
- 7. PIMF (Pairs in metal Foil)
- 8. Molded boot with Strain relief
- 9. RoHS compliant
- 10. Low Smoke Zero Halogen (LSZH/LSOH)
- 11. with 3P certificate and UL listed
- 12. Compliant with ISO/IEC 11801 and EN 50173

Description

Cat.6A Pro S/FTP Patch Cord is composed of preeminent materials and fully-examined to Cat.6A Platinum S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial

standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

Additional Information

Approval and compliance RoHS, 3P

Conductor material Copper Conductor size (AWG) 26AWG Jacket material LSZH Category Cat.6A Flat cable No Shielded Yes Product weight (kg) 0,198 Cable length 5m Color Yellow

EAN 4015867152669

Model number 605664
Package contents 605664
Cable Length 5.0m
Shielding S/FTP
Connector 1 RJ45 male
Connector 2 RJ45 male

Dimensions (W x D x H) 8.34 x 11.68 x 5000 mm

