


POS-3000 Gigabit PoE Splitter, 802.3at/af PoE, 5-18V DC Output

Product Images



Short Description

- Auto-detection and protection of non-standard PoE devices
- 10/100/1000Mbps wire speed transmission and reception
- Automatically detects PoE terminals and supplies inline power
- Intergrates Non-PoE devices with Power Over Ethernet support
- Safeguards network device with short circuit protection
- Reduce installation and network equipment costs
- Adjustable DIP switch for 5V, 12V, or 18V output
- Compact splitter supports Gigabit speeds
- Supplies power up to 25 watts
- Provides Interchangeable tips

Description

The LevelOne POS-3000 Gigabit High Power PoE Splitter splits a networked PoE signal into separated power and Gigabit data sources. This device allows administrators to run Gigabit speed PoE cables over long distances and then split the PoE signal into separated data and power sources in order to network non-PoE devices. Active splitters are also available in the following output voltages (5V or 12V or 18V). Save installation and equipment cost when installing 802.11n access points, (Pan/Tilt/Zoom) IP cameras and more in remote locations. No need to install network devices near a power outlet. This compact device safeguards valuable network equipment with short circuit protection and quickly creates an integrated PoE and non PoE network at Gigabit speeds.

Additional Information

Operating humidity	5% RH ~ 95% RH
Operating temperature	0°C ~ 45°C
Indicators	Link/Act
Standards	IEEE 802.3 10-BASE-T, Ethernet IEEE 802.3u 100-BASE-TX, Fast Ethernet IEEE 802.3ab 1000BASE-T, Gigabit Ethernet IEEE 802.3af Power over Ethernet (PoE) IEEE 802.3at Power over Ethernet (PoE+)
Features	-Automatically detects PoE terminals and supplies inline power -Easily install non-PoE devices where a power outlet is not available -Reduce installation and network equipment costs -Safeguards network device with short circuit protection -Adjustable output DIP switch for 5V, 12V, and 18V adjustable output -Converts Non-PoE devices with Power Over Ethernet Support -Provides Interchangeable tips -DC Pin:5.5*2.5*12 mm , 5.5*2.1*12 mm , 4.8*1.7*12 mm , 3.5*1.3*12 mm,
PoE features	-Auto-sensing power drawn from 802.3at power source equipment (PSE) devices -Supplies power up to 12-25 watts Power Output: 5V/3.5A; 12V/2A;18V/1A
Product weight (kg)	0,085
Color	Black
EAN	4015867226698
Model Number	POS-3000
Package contents	POS-3000 Quick Installation Guide
Data power RJ45	10/100/1000Mbps
Data RJ45	1
Power consumption	<5 W
Dimensions (W x D x H)	92 x 60 x 27 mm

