



12-Outlet Intelligent Power Distribution Unit

IPS-1201 series is a Power Distribution Unit (PDU) which fitted with multiple outputs designed to distribute electric power, It offers a real-time remote load monitoring of connected equipment and a individual outlet power control for remote power recycling, manage power-on or power-off sequencing of equipment. IPS-1201 series provide reliable power distribution coupled with remote power and environmental monitoring via network interface to view power, temperature and humidity levels via Web browser, and receive SNMP-based and email alerts when conditions exceed defined thresholds. IPS-1201 series own the PIPS/POPS technology which delivers a more accurate level of data center power monitoring.

Key Features

- Hourly-based current statistics for analysis and diagnosis
- Alarms for power failure by relay output
- Management: web browser, SNMP, SSH and Hyper Terminal
- Network Security: TLS and SSH
- Power on/off control on each port
- Access Control: Access Control List (ACL) / RADIUS
- Power protection: overvoltage / overcurrent

Specifications

System Specifications

Port:

12 x IEC 320 C13 (IPS-1201E)

12 x NEMA 5-15R (IPS-1201A)

Button/Knob:

Reset Button

Power Input:

200-240V AC (IPS-1201E)

100-125V AC (IPS-1201A)

Power Output:

Max. Load: 16A

IEC 320 C13: 10A Each unit

NEMA 5-15R: 15A Each Unit

Display:

LCD Display

Circuit Breaker:

16A



Environment

Operating Temperature (°C):

Operating: 0°C-50°C

Storage: -40°C to 65°C

Operating Humidity (Non-condensing):

Operating: 20-80 %

Storage: 5-95 %

Physical Specifications

Dimensions (W x D x H mm):

431.6 x 200 x 42 mm

Approval and Compliance


EMI/EMS:

FCC (Class A)

Safety:

CE, LVD

Diagram



Order Information

IPS-1201E: 200-240V AC

IPS-1201A: 100-125V AC

Package Contents

IPS-1201E

Power Cord

Quick Installation Guide

Resource CD (User Manual, QIG)

No liability or responsibility for any errors or omissions in the content.
Specifications are subject to change without notice.
All mentioned brand names are registered trademarks and property of their owners.
Copyright © Digital Data Communications GmbH, Germany. All Rights Reserved.