

DDE03G

M.2 SATA SSD Enclosure USB 3.0

This M.2 SSD enclosure offers you steady and efficient data transmission, with transfer speeds of up to 5Gbps. The USB 3.0 super speed connection is also compatible with USB 2.0. An ultra-slim aluminum casing ensures efficient heat dissipation. Perfect for transferring large video files and making backups.

*Does not support M.2 NVMe PCIe SSD

Highlights

- > Supports M.2 NGFF SATA I/II/III SSD
- > USB 3.0 super speed (5Gbps)
- > Supports UASP
- > Simple Plug and Play installation
- > Aluminum casing for heat dissipation
- > Compact and mobile

Specifications

System Specifications

Compatible SATA version

1.0
2.0
3.0

Power Input

DC 5V

Max. capacity of supported HDD

up to 1TB or more

USB version

3.0

Type of supported HDD

M.2 SATA

Features

DDE03G

USB powered

Yes

Led indicator

Yes

Performance

Supported max speed

5Gbps

Physical Specifications

Product depth (mm)

106

Product breadth (mm)

40

Product height (mm)

10.5

Shell Material

Aluminum

Others

Compatible operating systems

Windows XP
Windows Vista
Windows 7
Windows 8
Windows 10
Mac OS X 10.6 and higher

Incompatibility

Does not support M.2 NVMe PCIe SSD

Compatibility

M.2 SATA SSD (B and B+M key)
Fits sizes of M.2 SSD: 2230/2242/2260/2280

DDE03G

Order Information

Order Code: DDE03G
P/N code: 130012507
EAN Code: 4015867222799
In a Box: 40

Package content

- > DDE03G
- > Multilingual quick installation guide
- > USB-C to USB-A cable
- > Screws and screwdriver

DDE03G

