



HSM SECURIO Document Shredders

Product Overview

HSM SECURIO document shredders

With the HSM SECURIO document shredders you can expect the highest level of quality. Regardless of whether you have chosen the AF-series with automatic paper feed, the C-series for the small office, the B-series for the workplace or the P-series with IntelligentDrive for professional use: you are on the safe side with shredders from HSM!



Actual zero power consumption in stand-by mode, for the models HSM SECURIO C14, C16 and AF100.



Lifetime warranty on steel cutting rollers in HSM SECURIO document shredders at security levels P-2 to P-5.



HSM SECURIO document shredders, with the exception of HSM SECURIO AF100, P36i, P40i and P44i, have been awarded the Blue Angel certificate.

www.blauer-engel.de/ez174



0.1 Watt power consumption in stand-by mode for the document shredders HSM SECURIO C18 to B35 and AF150 to AF500.



3 years warranty for the HSM SECURIO document shredders.



HSM produces all document shredders of the HSM SECURIO range in Germany.

HSM SECURIO C-series document shredders

Space-saving, efficient and secure. The C-series impresses with its appealing compact design and ease of use. Perfect for document shredding at the office or at home.



Special product features:

- Quiet operation minimises noise development in the workplace.
- Practical automatic start/stop.
- Level indicator through inspection window (from C16 upwards).
- High degree of user safety.



Easy and convenient emptying.



5 HSM SECURIO C14



6 HSM SECURIO C16



7 HSM SECURIO C18

Specifications



Find out more.
Scan the QR code.

Model	6 HSM SECURIO C16		7 HSM SECURIO C18		8 HSM SECURIO B22		9 HSM SECURIO B24	
Scope of application	Home / small office (1-3 persons)		Home / small office (1-3 persons)		Office (up to 5 persons)		Office (up to 5 persons)	
Cutting type	strip	particle	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1901811 3.9 / 1900811	4 x 25 / 1902811	5.8 / 1911821 3.9 / 1910821	3.9 x 30 / 1913821 1.9 x 15 / 1912821	5.8 / 1831821 3.9 / 1830821	3.9 x 30 / 1833821 1.9 x 15 / 1832821 0.78 x 11 / 1835821	5.8 / 1781811 3.9 / 1780811	4.5 x 30 / 1783811 1.9 x 15 / 1782811 0.78 x 11 / 1785811 1 x 5 / 1784811
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/T-2/E-2 	P-4/T-4/E-3/F-1 	P-2/O-2/T-2/E-2 	P-4/T-4/E-3/F-1 	P-2/O-2/T-2/E-2 	P-4/T-4/E-3/F-1 	P-2/O-2/T-2/E-2 	P-4/O-3/T-4/E-3/F-1
	P-2/T-2/E-2 		P-2/T-2/E-2 	P-5/T-5/E-4/F-2 	P-2/T-2/E-2 	P-5/T-5/E-4/F-2 	P-2/O-2/T-2/E-2 	P-5/T-5/E-4/F-2
						P-6/F-3 		P-6/F-3
								P-7/F-3
Cutting capacity in sheets A4 80 g/m ²	15-17 12-14	6-7	17-19 13-15	8-9 6-7	17-19 13-15	9-11 7-9 4-5	25-27 19-21	14-16 9-11 6 4
Noise level in dB(A)*	55		55		57		56	
Intake width in mm	225		230		240		240	
Motor in Watts	185		360		440		500	
Size (W x D x H) in mm	366 x 258 x 455		365 x 280 x 542		375 x 310 x 600		395 x 317 x 605	
Weight in kg	4	5	10	11	11	13 / 12 / 12	15	19 / 16 / 21 / 21
Collection volume in l	25		25		33		34	

*in idle operation / All specifications are listed without guarantee. Technical and design modifications reserved.

HSM SECURIO AF-series document shredders

Innovative, convenient and time-saving. The autofeed paper shredders of the AF-series with Nanogrip Technology combine functionality and ease of use. For the reliable and easy shredding of stacks of paper and individual sheets of paper.




Special product features:

- Useful dual function: manual paper feeding during autofeed stack processing.
- Light barrier for automatic start/stop (from AF150 upwards).
- Powerful motor for continuous operation (from AF150 upwards).
- Multifunction element for intuitive operation (from AF150 upwards).
- Effortless emptying of the waste container via the removable housing top (AF100).
- Removable waste container for effortless emptying (AF150 and AF300).
- Convenient removal and emptying of the reusable collecting bag (AF500).
- Paper feed with overload protection reduces paper jams.
- Mobile on castors (from AF150 upwards).



Lock-and-Go function protects against unauthorized access, HSM SECURIO AF300 and AF500.



Hinged magazine for paper stacks, HSM SECURIO AF300 and AF500.



1 HSM SECURIO AF100 2 3 HSM SECURIO AF150/AF300 4 HSM SECURIO AF500

Specifications



Find out more.
Scan the QR code.

Model	1 HSM SECURIO AF100	2 HSM SECURIO AF150	3 HSM SECURIO AF300	4 HSM SECURIO AF500	5 HSM SECURIO C14	
Scope of application	Home / small office (1-3 pers.)	Office (up to 5 persons)	Office (up to 5 persons)	Office (up to 8 persons)	Home / small office (1-3 persons)	
Cutting type	particle	particle	particle	particle	strip	particle
Cutting size in mm / Product number	4 x 25 / 2063811	4.5 x 30 / 2083811 1.9 x 15 / 2082811 0.78 x 11 / 2085811	4.5 x 30 / 2093811 1.9 x 15 / 2092811 0.78 x 11 / 2095811	4.5 x 30 / 2103811 1.9 x 15 / 2102811 0.78 x 11 / 2105811	3.9 / 2250811	4 x 25 / 2253811
Security level ISO/ IEC 21964 (DIN 66399) / Shredder material*	P-4/T-4/E-3/F-1 	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 	P-2/T-2/E-2 	P-4/T-4/E-3/F-1
Cutting capacity in sheets A4 80 g/m ²	5-6	8-10 6-7 5	12-14 8-10 6	14-16 9-11 6	10-12	5-6
Capacity of autofeed unit*	max. 100 sheets	max. 150 sheets	max. 300 sheets	max. 500 sheets	-	
Noise level in dB(A)**	56	56	56	56	55	
Intake width in mm	225	240	240	240	225	
Motor in Watts	185	500	500	500	160	
Size (W x D x H) in mm	375 x 260 x 620	395 x 381 x 740	395 x 435 x 837	497 x 491 x 1002	366 x 258 x 405	
Weight in kg	7	18 / 18 / 19	19	29 / 29 / 30	4	5
Collection volume in l	25	34	34	82	20	

*Autofeed paper tray is for paper only, **in idle operation / All specifications are listed without guarantee. Technical and design modifications reserved.


HSM SECURIO B-series document shredders

Economical, reliable and versatile. The B-series impresses with its high level of performance and maximum functionality. The product range offers document shredders for the workplace or small working groups of up to eight people.



Special product features:

- Light barrier for automatic start/stop.
- Powerful motor for continuous operation.
- Safety element prevents unintentional entry.
- Convenient removal and emptying of the reusable collecting bag.
- High quality wooden floor cabinet with door (from B26 upwards).
- Mobile on castors (from B24 upwards).
- External oiler ensures a consistently high cutting performance (available as option for all particle cut versions, from B24 upwards).



e.g. paper



e.g. CDs, DVDs, Blu-ray-discs



e.g. floppy disks, ID-cards with magnetic strips



e.g. USB sticks, chip cards, solid state drives, flash memory



e.g. films, foils



8 9 HSM SECURIO B22 / B24

10 11 HSM SECURIO B26 / B32

12 HSM SECURIO B34

13 HSM SECURIO B35



Find out more.
Scan the QR code.



Find out more.
Scan the QR code.

Model	10 HSM SECURIO B26		11 HSM SECURIO B32		12 HSM SECURIO B34		13 HSM SECURIO B35	
Scope of application	Office (up to 5 persons)		Office (up to 5 persons)		Large office (up to 8 persons)		Large office (up to 8 persons)	
Cutting type	strip	particle	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1801811 3.9 / 1800811	4.5 x 30 / 1803811 1.9 x 15 / 1802811 0.78 x 11 / 1805811 1 x 5 / 1804811	5.8 / 1821811 3.9 / 1820811	4.5 x 30 / 1823811 1.9 x 15 / 1822811 0.78 x 11 / 1825811 1 x 5 / 1824811	5.8 / 1841811 3.9 / 1840811	4.5 x 30 / 1843811 1.9 x 15 / 1842811 0.78 x 11 / 1845811 1 x 5 / 1844811	5.8 / 1921811 3.9 / 1920811	4.5 x 30 / 1923811 1.9 x 15 / 1922811 0.78 x 11 / 1925811 1 x 5 / 1924811
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/O-2/T-2/E-2 	P-4/O-3/T-4/E-3/F-1 	P-2/O-2/T-2/E-2 	P-4/O-3/T-4/E-3/F-1 	P-2/O-2/T-2/E-2 	P-4/O-3/T-4/E-3/F-1 	P-2/O-2/T-2/E-2 	P-4/O-3/T-4/E-3/F-1
	P-2/O-2/T-2/E-2 	P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3 	P-2/O-2/T-2/E-2 	P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3 	P-2/O-2/T-2/E-2 	P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3 	P-2/O-2/T-2/E-2 	P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity in sheets A4 80 g/m ²	25-27 19-21	14-16 9-11 6 4	25-27 19-21	14-16 9-11 6 4	30-32 25-27	19-21 12-13 8 5	35-37 26-28	21-22 14-15 9 5
Noise level in dB(A)*	55		56		56		56	
Intake width in mm	280		310		310		400	
Motor in Watts	500		500		590		590	
Size (W x D x H) in mm	497 x 397 x 676		497 x 398 x 793		541 x 439 x 845		618 x 525 x 870	
Weight in kg	24	26 / 27 / 28 / 28	26	27	35	42	48	54 / 53 / 54 / 54
Collection volume in l	55		82		100		130	

*in idle operation / All specifications are listed without guarantee. Technical and design modifications reserved.

HSM SECURIO P-series document shredders

Data destruction at the highest level. The shredders in the Professional series impress with their innovative drive and operating concept IntelligentDrive – up to 40 % more performance, intelligent prevention of paper jams and a reduced operating noise level. Perfect for large working groups of up to fifteen people.



Special product features:

- Intelligent paper jam prevention. The machine recognises very quickly if too much paper has been fed in and reacts autonomously.
- High degree of energy saving due to stand-by and automatic switch-off.
- Powerful motor for continuous operation.
- Light barrier for automatic start/stop.
- The device automatically switches off if pressure is applied to the safety element.
- Mobile on castors.
- High quality wooden floor cabinet with door.
- Convenient removal and emptying of the reusable collecting bag.



Intuitive operation and multi-language menu selection via the 4.3" touch display.



With an integrated automatic oiler for particle cut models, for a consistently high cutting performance.



The innovative drive and operating concept IntelligentDrive offers the following operating modes:

- Silent** for particularly quiet operation.
- Standard** with an optimum throughput rate and low noise level.
- Performance** for maximum cutting and throughput performance.



14 15 16 HSM SECURIO P36i/P40i/P44i



Find out more.
Scan the QR code.

Model	14 HSM SECURIO P36i		15 HSM SECURIO P40i		16 HSM SECURIO P44i	
Scope of application	Department (up to 15 persons)		Department (up to 15 persons)		Department (up to 15 persons)	
Cutting type	strip	particle	strip	particle	strip	particle
Cutting size in mm / Product number	5.8 / 1851121 3.9 / 1850121	4.5 x 30 / 1853121 1.9 x 15 / 1852121 0.78 x 11 / 1855121 1 x 5 / 1854121	5.8 / 1881121 3.9 / 1880121	4.5 x 30 / 1883121 1.9 x 15 / 1882121 0.78 x 11 / 1885121 1 x 5 / 1884121	5.8 / 1871121 3.9 / 1870121	3.9 x 40 / 1873121 1.9 x 15 / 1872121 0.78 x 11 / 1875121 1 x 5 / 1874121
Security level ISO/IEC 21964 (DIN 66399) / Shredder material	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/F-3 P-7/F-3	P-2/O-2/T-2/E-2 P-2/O-2/T-2/E-2	P-4/O-3/T-4/E-3/F-1 P-5/O-4/T-5/E-4/F-2 P-6/F-3 P-7/F-3
Cutting capacity in sheets A4 80 g/m ²	43-45 34-36	27-29 16-18 11-13 8	56-58 44-46	34-36 19-21 13-15 9	77-79 61-63	43-45 25-27 17-19 11
Noise level in dB(A)*	55		55		55	
Intake width in mm	330		330		400	
Motor in Watts	900		1200		1900	
Dimensions (W x D x H) in mm	580 x 550 x 1020		580 x 550 x 1020		700 x 592 x 1105	
Weight in kg	64	68	67	72	105	
Collection volume in l	145		145		205	

Options

Product no. + letter

- Ⓚ Metal detection
- Ⓒ Separate CD cutting unit in cutting size 4 x 7 mm
- Ⓜ Separate OMDD cutting unit in cutting size 2 x 2 mm
- Ⓝ Separate OMDD cutting unit + metal detection

*in standard operation mode (idle operation) / All specifications are listed without guarantee. Technical and design modifications reserved.

HSM – the company

Shredding and Compressing.



Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to quality “Made in Germany”. This product and service quality is the key to success in both the office technology and environmental technology business sectors. As a specialist for products and services for data protection as well as technologies for optimising logistics and recycling processes, HSM is one of the world’s leading providers.

Enquire now! We are always glad to help.

Head office in Germany:

HSM GmbH + Co. KG · Austraße 1-9 · 88699 Frickingen / Germany
Tel. +49 7554 2100-0 · Fax +49 7554 2100-160
info@hsm.eu · www.hsm.eu

E-mail / Hotline:

Gratis Hotline
DE, AT, IT, ES, BE, NL, LU
Tel. 00800 44 77 77 66

HSM Vertrieb Deutschland
deutschland@hsm.eu

HSM Vertrieb Österreich
austria@hsm.eu

HSM Vertrieb Schweiz
schweiz@hsm.eu

HSM Verkoop België, Nederland,
Luxemburg
benelux@hsm.eu

HSM Commerciale Italia
italia@hsm.eu

HSM Ventas Portugal
iberia@hsm.eu

HSM subsidiaries:

HSM Técnica de Oficina y
Medioambiente España, S.L.U.
Calle de José Echegaray, 10
28100 Alcobendas, Madrid
Spain
Tel. +34 91 103 4859
Fax +34 91 103 4858
iberia@hsm.eu
www.hsm.eu

HSM France SAS
Parc de Genève
240, Rue Ferdinand Perrier
69800 Saint-Priest
France
Tél. +33 472 210580
Fax +33 472 517481
france@hsm.eu
www.hsm.eu

HSM (UK) Ltd.
14 Attwood Road / Zone 1
Burntwood Business Park
Burntwood · Staffordshire
WS7 3GJ
United Kingdom
Tel. +44 1543 272-480
Fax +44 1543 272-080
sales.uk@hsm.eu
www.hsm.eu

HSM Polska Sp. z o.o.
ul. Emaliowa 28
02-295 Warsaw
Polska (Poland)
Tel. +48 22 862-2369
Fax +48 22 862-2368
handlowy@hsm.eu
www.hsm.eu

HSM of America LLC
419 Boot Road
Downingtown, PA 19335
USA
Tel. +1 484 237-2308
+1 800 613-2110
Fax +1 484 237-2309
customerservice@hsm.us
info@hsm.us
www.hsm.us

HSM China Ltd.
Room 504, Building C
Hangcheng Guangchang
Nanfaxin Town
Shunyi District
Beijing, PRC, 101300
China
Tel. +86 10 61429168
Fax +86 10 61429169
info@hsm-china.cn
www.hsm-china.cn