

# GTL-5291 52-Port L3 Managed Gigabit Switch, 48 x Gigabit RJ45, 4 x 10GbE SFP+

#### **Product Images**



### **Short Description**

- 48 Gigabit Ethernet ports and 4 10-Gigabit SFP+ slots.
- Supports L3 management, such as OSPF, RIP, QoS, VLAN, MSTP, Multi-brocast, ports management.
- 6KV surge protection, 6KV contact / 8KV air ESD protection.
- Supports working temperature -10°C~50°C.

### Description

The LevelOne GTL-5291 includes high-performance Gigabit Ethernet Layer3 switches featuring 52 ports; 48 10/100/1000BASE-T ports, 4 10G SFP+ ports, Supports L3 management, such as OSPF, RIP, QoS, VLAN, MSTP, Multi-brocast, ports management. The switch is ideal for high-performance server aggregations, such as enterprise data centers, where it can connect high-end or network-attached file servers through fiber ports. It can also deployed as a backbone upgrade, or to provide Gigabit-to-the-desktop for power users. This switch is packed with features and is a cost-effective solution that brings continuous availability, enhanced security, and advanced QoS to the network edge, while maintaining simplicity of management.

Backplane (Gbps)	176
Packet buffer	16 Mbits
Indicators	LINK/ACT, Power
MAC address table	8 K
Mount	19" rack mount, Desk mount
Power supply	100-240 VAC, 50-60 Hz
Standards	● IEEE 10BASE-T (IEEE 802.3) ● IEEE 100BASE-TX (IEEE 802.3u) ● IEEE 1000BASE-T (IEEE 802.3ab) ● IEEE 802.3z (1000BASE-SX/LX/LHX/ZX) Transceivers ● IEEE802.3x flow control ● IEEE 802.1Q VLANs ● IEEE 802.1D Spanning Tree Protocol (STP) ● IEEE 802.1w Rapid Spanning Tree Protocol (RSTP) ● IEEE 802.1s Multiple Rapid Spanning Tree Protocol (MSTP)
Product weight (kg)	6
Product breadth (mm)	442
Product depth (mm)	320
Product height (mm)	44
Color	Black
EAN	4015867227961
Model number	GTL-5291
Package contents	● GTL-5291 ● Power Cord ● 19" Rack Mount Kit ● Quick Installation Guide ● Declaration of Conformity
Grade	Commercial
Data Rate	Gigabit and 10-Gigabit Ethernet
PoE Supported	No
Manageable	Yes
Fanless	No

## **Additional Information**

