

645606 Cat.6A Platinum S/FTP Patch Cable, Grey, 10.0m, 5pcs/set

Product Images







Screened Category 6A ISO/IEC, EN & ANSI/TIA Communication Cable

Short Description

- 1. 4 x 2 AWG 26/7
- 2. 500MHz performance Bandwidth
- 3. Transmission: 10Gbit
- 4. Suitable for PoE, PoE+, PoE++
- 5. Stranded bare copper conductor
- 6. Foil and braid shield Reduces EMI/RFI interference
- 7. PIMF (Pairs in metal Foil)
- 8. Molded boot with Strain relief
- 9. RoHS compliant
- 10. Low Smoke Zero Halogen (LSZH/LSOH)
- 11. with 3P certificate and UL listed
- 12. Compliant with ISO/IEC 11801 and EN 50173
- 13. Bulk pack without zipper bag per piece
- 14. Quicker and easier to install
- 15. Selling Unit: 5pcs/Pack
- 16.

Description

Cat.6A Pro S/FTP Patch Cord is composed of preeminent materials and fully-examined to Cat.6A Platinum S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

Additional Information

Approval and compliance RoHS Conductor material Copper Conductor size (AWG) 26AWG Jacket material LSZH Category Cat.6A Flat cable No Shielded Yes Product weight (kg) 0.39

Cable length 10m Color Grey 4015867228418

EAN

Connector 2

Model Number 645606 Package contents 645606 Cable Length 10m Shielding S/FTP Connector 1 RI45 male

Dimensions (W x D x H) 11.68 x 8.2 x 10000 mm

RJ45 male

