QNAP TS-h987XU-RP NAS Rack (1U) Intel Xeon E E-2334 16 GB DDR4 80 TB QuTS hero Black, Silver

Brand : QNAP

Product code: TS-H987XU-RP-E2334-16G/80TB-HC



Product name : TS-h987XU-RP

Intel Xeon E-2334, 16 GB ECC DDR4, 5GB Flash, 4 x 3.5" + 5 x 2.5" U.2, RJ-45, USB 3.2 Gen 2, 2 x 300W PSU, 8.43 kg

QNAP TS-h987XU-RP. Type: NAS. Chassis type: Rack (1U). Device class: Large Enterprise Business. Processor family: Intel Xeon E, Processor model: E-2334, Processor frequency: 3.4 GHz. Internal memory: 16 GB, Internal memory type: DDR4. Total installed storage capacity: 80 TB. Operating system installed: QuTS hero

| Storage | | Performance | |
|--|--|--|--|
| Supported storage drive interfaces Storage drive sizes supported RAID support * RAID levels Online RAID expansion RAID rebuild Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives supported * Installed storage drive type * Supported storage drive type * | Serial ATA, U.2 2.5,3.5" ✓ 0, 1, 5, 6, 10, 50, 60 ✓ FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4 × 80 TB 9 × HDD & SSD | Device class * Backup function * Backup features Multilingual support Snapshot Security algorithms Access Control List (ACL) Reset button On/off switch Built-in FTP server Browser supported System log Hot spare | Large Enterprise Business iSCSI LUN 256-bit AES, FIPS 140-2 Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox |
| Disk roaming | 4 | Disk scan | v V |
| Processor | | S.M.A.R.T. support | ✓ |
| Processor manufacturer * | Intel | Share folder | Thick, Thin |
| Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor threads Processor cache CPU configuration (max) | Intel Xeon E E-2334 3.4 GHz 4.8 GHz 4 8 8 8 MB 1 | Software Operating system installed * Operating system version | QuTS hero h5.0.0 Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7, Enterprise x64, Windows 7, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64 |
| Memory Internal memory * Internal memory type Maximum RAM supported Memory slots Memory form factor ECC Flash memory Network Ethernet LAN * Ethernet LAN data rates Ethernet LAN data rate supported | 16 GB DDR4 128 GB 4 UDIMM ✓ 5000 MB | Windows operating systems supported | |
| ethernet LAN data rate supported (max) DHCP server iSCSI support | 10000 Mbit/s ✓ | | |

| Network | | Software | |
|--|--------------------------------------|--|---|
| Wake-on-LAN ready | 1 | Joint and | Debian 7.0, Red Hat Enterprise |
| Supported network protocols Dynamic DNS (DDNS) | v IPv4, IPv6 √ | Linux operating systems supported | Linux WS 7.0, SuSE Linux 12.0, SuSE Linux 12.3, SuSE Linux 15, Ubuntu 14.04, Ubuntu 14.10, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10, Ubuntu 17.10, Ubuntu 18.04 LTS, Ubuntu 20.04 LTS, Ubuntu 22.04 |
| Ports & interfaces | | | |
| USB port * USB 3.2 Gen 2 (3.1 Gen 2) Type-A | 4 | | |
| ports quantity Ethernet LAN (RJ-45) ports * | 4 | Mac operating systems supported | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X |
| Concurrent connections PCI Express x8 (Gen 4.x) slots | 10000 1 | | |
| Design | | | |
| Chassis type * | Rack (1U) | | 13.0 Ventura Windows Server 2008 R2, Windows |
| Cooling type * Product colour Number of fans | Active Black, Silver | Server operating systems supported | Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |
| Fan diameter LED indicators | 4 fan(s) 4 cm HDD, LAN, Status | Other operating systems supported | IBM AIX 7.1, Solaris 10, Solaris 10 SPARC, Solaris 11, Solaris 11 SPARC |
| Performance | | Power | |
| Type * | NAS | Power supply unit (PSU) capacity | 250 W |
| Type - | | Number of power supply units | 2 |
| | | Power consumption (typical) | 120.58 W |
| | | Power consumption (sleep) | 114.6 W |
| | | Weight & dimensions | |
| | | Width * | 430 mm |
| | | Depth * | 479 mm |
| | | Height * | 43.3 mm |
| | | Weight | 8.43 kg |
| | | Package weight | 11.1 kg |
| | | Packaging content | |
| | | Cables included | AC, LAN (RJ-45) |
| | | Power cables quantity | 2 |
| | | Number of screws | 52 |
| | | Processor special features | |
| | | Enhanced Intel SpeedStep Technology | 4 |
| | | Execute Disable Bit | |
| | | Idle States | |
| | | Intel 64 | * |
| | | Intel Trusted Execution Technology Intel Virtualization Technology (VT- | 4 |
| | | x) Intel Virtualization Technology for | 4 |
| | | Directed I/O (VT-d) Intel VT-x with Extended Page | 4 |
| | | Tables (EPT) | 4 |
| | | Operational conditions | |
| | | Operating temperature (T-T) Operating relative humidity (H-H) | 0 - 40 °C 5 - 95% |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.