## QNAP TS-H1887XU-RP NAS Rack (2U) Intel Xeon E E-2336 32 GB DDR4 192 TB QuTS hero Black, White

Brand : QNAP

Product code: TS-H1887XU-RP-E2336-32G/192TB-HC



## Product name : TS-H1887XU-RP

Intel Xeon E-2336, 32 GB ECC DDR4, 5GB Flash, 12 x 3.5" + 6 x 2.5", RJ-45, USB 3.2 Gen 2, 2U, 13 kg QNAP TS-H1887XU-RP. Type: NAS. Chassis type: Rack (2U). Device class: Large Enterprise Business. Processor family: Intel Xeon E, Processor model: E-2336, Processor frequency: 2.9 GHz. Internal memory: 32 GB, Internal memory type: DDR4. Total installed storage capacity: 192 TB. Operating system installed: QuTS hero

	Performance	
Serial ATA Serial ATA 2.5,3.5" 3.5" 4 1, 5, 6, 10, 50, 60, JBOD 4 4 FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4 192 TB 18	Type * Device class * Backup function * Backup features Number of users Snapshot Management protocols Web-based management Share folder access right management Security algorithms Access Control List (ACL) Reset button	NAS Large Enterprise Business Cloud, iSCSI LUN 16000 user(s) SMB/CIFS, AFP, NFS HTTPS, SNMPv2, SNMPv3, SSH
¥ HDD & SSD ✔	On/off switch Built-in FTP server Browser supported	<ul> <li>Apple Safari (latest version), Google Chrome (latest version), Microsoft Edge (latest version), Mozilla Firefox</li> </ul>
ProcessorProcessor manufacturer *IntelProcessor family *Intel Xeon EProcessor family *E-2336Processor frequency *2.9 GHzProcessor boost frequency4.8 GHzProcessor cores6Processor threads12Processor cache12 MBCPU configuration (max)1	System log Hot spare Disk scan S.M.A.R.T. support Share folder	(latest version) ✓ ✓ ✓ Thick, Thin
	Software Operating system installed * Operating system version	QuTS hero h5.0.0
32 GB DDR4 128 GB 4 UDIMM ✓ 5000 MB		
	Serial ATA 2.5,3.5" 3.5" ✓ 1, 5, 6, 10, 50, 60, JBOD ✓ FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4 X 192 TB 18 X HDD & SSD ✓ Intel Intel Xeon E E-2336 2.9 GHz 4.8 GHz 6 12 12 MB 1 X HDD & SSD ✓ X HDD & SSD X HD & SSD X	Serial ATAType *Serial ATADevice class *2.5,3.5"Backup function *3.5"Backup features✓Number of users1, 5, 6, 10, 50, 60, JBODSnapshot✓Management protocols✓Management protocols✓Web-based management✓Security algorithms192 TBAccess Control List (ACL)18Seset button✓On/off switchWhose SSDBrowser supported✓IntelIntelSystem logIntel Seon ESystem logParameticSystem logIntel Seon ESystem logIntel Seon ESoftwareIntel Seon ESoftware

Copper ethernet cabling technology 10GBASE-T

Network		Software	
	1	Sullware	Windows 10 Windows 10
DHCP server	4		Windows 10, Windows 10 Education, Windows 10 Education
iSCSI support Supported network protocols	✓ IPv4, IPv6		x64, Windows 10 Enterprise,
Supported network protocols Dynamic DNS (DDNS)	IPV4, IPV6		Windows 10 Enterprise x64, Windows 10 Home, Windows 10
	•		Home x64, Windows 10 IOT Core,
Ports & interfaces			Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro
USB port *	4		x64, Windows 10 x64, Windows 11,
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4		Windows 11 x64, Windows 7,
Ethernet LAN (RJ-45) ports *	4	Windows operating systems	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home
Number of SATA III connectors	18	supported	Basic, Windows 7 Home Basic x64,
PCI Express x8 (Gen 4.x) slots	1		Windows 7 Home Premium, Windows 7 Home Premium x64,
Design			Windows 7 Professional, Windows 7
Chassis type *	Rack (2U)		Professional x64, Windows 7 Starter, Windows 7 Starter x64,
Cooling type *	Active		Windows 7 Ultimate, Windows 7
Product colour	Black, White		Ultimate x64, Windows 7 x64,
Number of fans	4 fan(s)		Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows
Fan diameter	6 cm		8 Pro, Windows 8 Pro x64, Windows
LED indicators	HDD, LAN, Status, USB		8 x64
		Linux operating systems supported	CentOS 7.0, Ubuntu 14.04, openSUSE 12.1, openSUSE 12.2
			Mac OS X 10.10 Yosemite, Mac OS X
		Mac operating systems supported	10.11 El Capitan, Mac OS X 10.12
			Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X
			10.15 Catalina, Mac OS X 10.15.3
			Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X
			13.0 Ventura
			Windows Server 2008 R2, Windows
		Server operating systems supported	Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows
			Server 2019
		Other operating systems supported	IBM AIX 7.1, Solaris 10
		Power	
		Power supply location	Built-in
		Power supply unit (PSU) capacity	550 W
		Number of power supply units	2
		Weight & dimensions	
		Width *	483 mm
		Depth *	630 mm
		Height *	88 mm
		Weight	13 kg
		Package weight	19 kg
		Processor special features	
		Embedded options available	×
		Enhanced Intel SpeedStep Technology	1
		Execute Disable Bit	1
		Idle States	√
		Intel 64	1
		Intel Trusted Execution Technology	1
		Intel Virtualization Technology (VT-	1
		X) Intel Virtualization Technology for	
		Intel Virtualization Technology for Directed I/O (VT-d)	1
		Intel VT-x with Extended Page Tables (EPT)	1
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H) Storage temperature (T-T)	5 - 95% -20 - 70 °C

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.