QNAP TVS-472XT-I3-4G/56TB-REDPLUS NAS/storage server Tower Ethernet LAN Black i3-8100T

Brand : QNAP

×

Product code: TVS-472XT-I3-4G/56TB-REDPLUS

Product name : TVS-472XT-I3-4G/56TB-REDPLUS

- High-speed Thunderbolt 3 with SMB protocol, allowing Mac and Windows users to collaborate on media editing

- 5-speed 10GBASE-T RJ45 connectivity accelerates virtualization applications and file sharing across teams and devices

- PCle expandability allows for graphics cards or 40GbE/ 25GbE/ 10GbE adapters to increase application performance

- Install M.2 PCIe (Gen 3 x2, 2 GB/s) NVMe SSDs (sold separately) to set up caching or storage pools, improving file access efficiency

- 4K media playback and real-time transcoding; directly view creative works on an HDTV via HDMI 2.0 (4K @60Hz) output

- Snapshots fully record system status and data, allowing you to protect files and data from accidental deletion and malware attacks

Intel Core i3-8100T, 4 GB DDR4, 4x 3.5", 2x M.2, RJ-45, Thunderbolt, PCIe, USB 3.2, HDMI, 188.2×199.3×279.6 mm

Storage	
Storage	

Storage		Design	
Storage drive interface *Serial ATA II, Serial ATA IIISupported storage drive interfacesSerial ATA II, Serial ATA IIIStorage drive size2.5/3.5"Storage drive sizes supported2.5,3.5"Number of system drives installed1System drive capacity5 GB	Fan diameter 2 LED indicators Built-in display Display type Cable lock slot Cable lock slot type	6 cm HDD, LAN, Status, USB ✓ LCD ✓ Kensington	
Number of M.2 (M & B) slots	2	Performance	
RAID support * RAID levels Online RAID migration Online RAID expansion RAID rebuild Hot-swap drive bays Supported file systems Storage drives installed * Total installed storage capacity * Number of storage drives installed * Number of storage drives supported * Installed storage drive type *	I 4 HDD	Type * Device class * Backup function * Backup features Buzzer Multilingual support Noise level Security algorithms Access Control List (ACL) Reset button On/off switch Built-in FTP server	NAS Small & Medium Business Cloud, iSCSI LUN 21.2 dB 256-bit AES, HTTPS, SSL/TLS 4 4 Mozilla Firefox, Microsoft Edge,
Supported storage drive types *	HDD & SSD	Browser supported	Google Chrome, Apple Safari
Processor generation 8 Processor family * Ir	Intel 8th gen Intel® Core™ i3 Intel® Core™ i3 i3-8100T	System log Hot spare S.M.A.R.T. support Share folder USB copy function	✓ ✓ ✓ CIFS/SMB ✓
Processor frequency *	3.1 GHz	Software	
Processor cores Processor threads Processor cache Bus type Configurable TDP-down frequency CPU configuration (max) Number of processors supported On-board graphics card model	ocessor threads4ocessor cache6 MBus typeDMI3onfigurable TDP-down frequency2.4 GHzPU configuration (max)1umber of processors supported1	Operating system installed * Operating system version Windows operating systems supported Linux operating systems supported	QNAP Turbo System 4.4.0 Windows 10, Windows 7, Windows 8 ✔
Memory			
Internal memory type	DDR4		

×

×

×

Memory		Software	
Maximum RAM supported Memory slots Internal memory * Memory form factor Flash memory Network	64 GB 2 4 GB SO-DIMM 5000 MB	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big
Ethernet LAN *	1		Sur
Ethernet LAN data rates	10,100,1000,2500,5000,10000 Mbit/s	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Ethernet LAN data rate supported (max)	10000 Mbit/s	-	Windows Server 2016
DHCP client	4	Power	5.00
DHCP server	4	Power supply location Power supply unit (PSU) capacity	Built-in 250 W
Jumbo frames support	4	Number of power supply units	1
iSCSI support Wake-on-LAN ready	4	Power consumption (typical)	37.32 W
Link aggregation	4	Power consumption (sleep)	24.14 W
Load balancing system	4	AC input voltage	100-240 V
Dynamic DNS (DDNS)	1	Fan voltage	12 V
WLAN adapter supported	4	Weight & dimensions	
Ports & interfaces		Width *	199.3 mm
USB port *	1	Depth *	279.6 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Height *	188.2 mm
ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-A		Weight	5.4 kg
ports quantity	2	Packaging content	
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Cables included Power cables quantity	AC, LAN (RJ-45) 1
HDMI ports quantity	1	Processor special features	
HDMI version	2.0	Embedded options available	1
Ethernet LAN (RJ-45) ports * Thunderbolt 3 ports quantity	3 2	Enhanced Intel SpeedStep	1
PCI Express x4 (Gen 3.x) slots	1	Technology Execute Disable Bit	
Design		Idle States	4 4
Chassis type *	Tower	Intel 64	4
Cooling type *	Active	Intel Clear Video Technology	4
Product colour	Black	Intel Enhanced Halt State	✓
Number of fans Fan diameter	3 fan(s) 12 cm	Intel Identity Protection Technology version	1.00
	12 011	Intel Secure Key Technology version	
		Intel Stable Image Platform Program (SIPP)	~
		Intel Stable Image Platform Program (SIPP) version	
			X
		Intel TSX-NI Intel TSX-NI version	× 0.00
		Intel Virtualization Technology (VT-	
		x)	4
		Intel Virtualization Technology for Directed I/O (VT-d)	1
		Intel VT-x with Extended Page Tables (EPT)	4
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.