

QNAP TS-H686-D1602-8G NAS Tower Ethernet LAN Black D-1602





Brand: QNAP Product code: TS-H686-D1602-8G/64TB-IWP

Product name: TS-H686-D1602-8G

- Four 2.5GbE ports accelerate file sharing across teams and devices, virtual machine applications or multimedia transmission
- DDR4 ECC memory detects and corrects single-bit memory errors, demonstrating high reliability for crucial applications
- Two M.2 NVMe Gen 3 x4 SSD slots (each slot providing up to 3.2 GB/s bandwidth) enable SSD caching to boost random read/write performance
- Two PCle slots allow for 5GbE/10GbE/25GbE/40GbE adapters, QM2 cards, or entry-level graphics cards to increase application performance
- Scalable storage supporting virtual machines, containerized apps, centralized storage, backup, sharing, and disaster recovery
- QuTS hero combines ZFS advantages with the QTS App Center ecosystem to empower your business Xeon D-1602 2.5 GHz, 8 GB DDR4, 5GB, 4x 3.5" + 2x 2.5", 2x M.2, 4x 2.5G LAN, 3x USB 3.2, 231.9x224.9x319.8 mm

Storage		Performance	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Backup function *	✓
Storage drive sizes supported	2.5,3.5"	Backup features	Cloud, iSCSI LUN
Number of M.2 (M & B) slots	2	Buzzer	✓
RAID support *	✓	Multilingual support	✓
RAID levels	0, 1, 5, 6, 10, 50, 60	Noise level	18.6 dB
Online RAID migration	✓	Snapshot	✓
Online RAID expansion	✓	Web-based management	✓
RAID rebuild Hot-swap drive bays	1	Security algorithms	256-bit AES, AES, FIPS 140-2, HTTPS, SSH, SSL/TLS
Supported file systems	FAT32, HFS+, NTFS, ZFS, ext3, ext4	Access Control List (ACL)	✓
Storage drives installed *	✓	Reset button	✓
Total installed storage capacity *	64 TB	On/off switch	✓
Number of storage drives supported	- !	Built-in FTP server	✓
* Installed storage drive type *	HDD	Browser supported	Apple Safari 7+, Google Chrome, Microsoft Internet Explorer 10+, Mozilla Firefox
Supported storage drive types *	HDD & SSD	System log	✓
Bad block scan	4	Hot spare	✓
Disk roaming	1	S.M.A.R.T. support	✓
Processor		Share folder	CIFS/SMB
Processor manufacturer *	Intel	Universal Plug and Play (UPnP)	✓
Processor family *	Intel® Xeon® D	USB copy function	✓
Processor model *	D-1602	Software	
Processor frequency *	2.5 GHz	Operating system version	4.5.0
Processor boost frequency	3.2 GHz	Windows operating systems	
Processor cores	2	supported	Windows 10, Windows 7, Windows 8
Processor threads	4	Linux operating systems supported	✓
Processor cache	3 MB		Mac OS X 10.10 Yosemite, Mac OS X
CPU configuration (max)	1		10.11 El Capitan, Mac OS X 10.12
Memory		Mac operating systems supported	Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X
Internal memory type	DDR4		10.15 Catalina
Maximum RAM supported	128 GB		Windows Server 2008 R2, Windows Server 2012, Windows Server 2012
Memory slots	4	Server operating systems supported	R2, Windows Server 2016, Windows
Internal memory *	8 GB		Server 2019
Memory form factor	UDIMM	Power	
Flash memory	5000 MB	Power supply location	Built-in
Network		Power supply unit (PSU) capacity	250 W
Ethernet LAN *	1	Number of power supply units	1
Ethernet LAN data rates	100,1000,2500 Mbit/s	Power consumption (typical)	61.115 W
DHCP client	✓	AC input voltage	100 - 240 V
	•		-

Network		Power	
DHCP server Jumbo frames support	√	AC input frequency	50 - 60 Hz
		Weight & dimensions	
Supported network protocols	TCP/IP, HTTP/HTTPS	Width *	224.9 mm
WLAN adapter supported	✓	Depth *	319.8 mm
Ports & interfaces		Height *	231.9 mm
USB port *	✓	Weight	7.27 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Packaging content	
Ethernet LAN (RJ-45) ports *	4	Cables included	AC, LAN (RJ-45)
PCI Express x8 (Gen 3.x) slots	2	Number of screws	30
Design		Processor special features	
Chassis type * Cooling type * Product colour Number of fans Fan diameter Fan diameter 2 LED indicators Cable lock slot Cable lock slot type	Tower Active Black 2 fan(s) 8 cm 9.7 cm HDD, SSD, Status ✓ Kensington	Embedded options available Enhanced Intel SpeedStep Technology Execute Disable Bit Idle States Intel 64 Intel QuickAssist Technology Intel Trusted Execution Technology Intel TSX-NI Intel Virtualization Technology (VT-	X ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Performance		x)	✓
Type * Device class *	NAS Large Enterprise Business	Intel Virtualization Technology for Directed I/O (VT-d)	✓
		Intel VT-x with Extended Page Tables (EPT)	✓
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 35 °C 5 - 95%

